

1 Beyond a Shade of Green

Lloyds: A Canadian Environmental story, almost 100 years in the making. Lloyds Laboratories was founded in Toronto in 1919 as a manufacturer of quality, unique cleaning and lubricating products with a vision to the future and a responsibility to the environment. We have continued to build on that foundation and today offer a wide variety of superior products. We believe there is no place in the market for mediocre products.

We can show you that our products can and do work better than harsh solvents, acids and caustics. Soon the day of pouring petroleum hydrocarbons into our land, water and air will be gone. This is our vision for safer chemistry with no compromise of performance.

Lloyds Laboratories Inc. is proud to achieve registration as an Eco Logo manufacturer. This is assurance for you and your customers that every part of our product has met the stringent international standards to be environmentally sustainable with minimal aquatic toxicity through independent testing and auditing.



Expertise and experience in many areas of industry, food production, fleet maintenance, agriculture, logging, and mining have allowed us to successfully address our customers needs for safer chemistry with improved performance.

Lloyds products are a natural fit in the food industry with over 50 products approved and accepted for use in food establishments.



Lloyds Laboratories is committed to becoming the most trusted brand of authentic, safe and environmentally responsible products for a healthy workplace, industry and home.



Because We Care

Lloyds "green tree" adapted by Lloyds in 1988 highlights environmentally responsible and user people friendly products.

Lubricants and Corrosion Inhibitors.....3 - 10

MOOVIT, LOOBIT, AD2000, AD3000, Air Motor Oil, Synthetic Air Motor Oil, Ms Moly Anti Seize Compound, Garage Door Lubricant, Dry Corrosion Suppressant, Dry Teflon, Silicone Lubricant, Belt Dressing, Sanitary Lubricant, Red Heavy Lithium Grease, Food Grade White Lithium Grease, Moly Lithium EP Grease, White & Red Lithium Grease, Ms Moly Chain Lube, 5th Wheel Lubricant, Orbit, Orbit - Aqueous, Hydraulic Fluid

Cleaners & Degreasers.....11 - 15

Xtreme Clean, Green Power, Purple Power, Biological Degreaser, Biological Grease Trap & Floor Cleaner, LX 2000, Kleens-It Citrus Cleaner, Pure Clean, Mold & Mildew Remover, H.P. Activator, Isocare M.V.R., Isocare M.R.S., Kleens-It Industrial Electrical Contact Cleaner, Glass Cleaner, Wood Revitalizer,

Hand Cleaners.....16 - 17

LX4Hands, Skin Barrier Cream, Prestige Pink, Breeze Sicle, Iso Care, Hand Dish and Laundry

Janitorial.....18 - 20

CLR, Toilet Bowl Cleaner, Drain Opener, Odor Stop, Deodorizer Additive, Defoaming Agent, Floor Scrubber, Heavy Duty Cleaner Degreaser, Restaurant Hood Cleaner, Smoke Detector Testor

Metal Cleaners and Polishes.....21 - 22

Gleemit, Aluminum Magic, Enviro Rust, EnviroRust Gel, Superblue, Magic Mirror, Plastic Plus

Sealants and Coatings.....23 - 28

Tip Shield, Welder's Anti-Spatter, Removable Medium Strength Thread Lock, Permanent High Strength Thread Lock, Kryptonite, Pure Prep, Cold Galvanizing Zinc Rich Primer, Rust Paint, Rubberized Undercoating, Web Bond, Top-It, Fight Back, Strip-It, Booth Coating, Peelable Booth Coating, AD1000, Salt Shield

Fuel Treatments.....29 - 30

Nanolube Diesel Fuel Treatment, Nanolube Cold Weather Antigal, Fuel Stabilizer, Ethanol Fuel Treatment and System Cleaner

Automotive & Fleet Maintenance.....31 - 37

Brake Parts Cleaners (Kleens-It Non Flammable, Kleens-It Non Chlorinated, Green Quality), Nanoclean Truck Wash, Nanoclean Car Wash, Biosolve, Cosmetics for Leather, Velour & Fabric Cleaner, Water Repellent, Engine Shampoo, Protec 2000 UV Protectant, Good to Go, Fine Detail Spray, Last Detail, Rain-O Windshield and Glass Treatment, Rain-O Windshield Washer Fluid Additive, Essential Scents, Fog-It, Air Brake Anti-freeze, Tire Lube, Lock De-icer, Pressure Washer Pump Saver, Eco-Air, Coil Cleaner, Find-It, Carburetor and Choke Cleaner, Air Intake Cleaner

Printing Industry.....38

Kleens-It UV Ink Cleaner, Kleens-It Flexo Ink Cleaner

Electronic Specialty.....39 - 40

Dust-It, Dust-It 2, Kleens-It Electronic Contact Cleaner, Pure Solve, Roll-It, Crystal Clear, Ultra Sonic Cleaning Detergent

Plastic Injection Moulding Specialty.....41 - 42

Mould Release - Paintable Co Polymer, Mould Release - Silicone Based, Mould Release - Economy, Mould Release - Food Grade, Ejector Pin Lubricant, Mould Cleaner and Degreaser, Mould Cleaner - Fast Drying, Non Chlorinated, Mould Saver, Resin Remover

Construction Specialty.....43 - 44

Asphalt Release, Asphalt Release - water soluble, Concrete Form Release - 100% Natural Formula, Concrete Form Release - High Purity with Mineral Oil, Concrete Remover/Cleaner, Concrete Remover/Cleaner- Acid Based, Concrete Cure & Seal, Concrete Guard & Sealer

Environmentally Friendly Insecticides.....45

Wasp & Hornet Blaster, Spider Control, In-Spec, High Strength, Low Odor Insect Repellent

Products Accepted for Use in Food Establishments.....46

3 Lubricants & Corrosion Inhibitors

MOOVIT™

THE HIGH PERFORMANCE PENETRATING LUBRICANT

- One product - 1000s of uses
- Fast long lasting lubrication (lasts in excess of 1 year without evaporation)
- Superior performance (100% active ingredients - use less - better value)
- Environmentally friendly
- Non flammable as a liquid
- Inverted spray valve (360°)
- Displaces moisture
- Ensures smooth operation of machinery and fine mechanisms
- User friendly, Solvent free

Moovit is blended from the highest quality natural ingredients, uniquely formulated to loosen rusted, seized parts, nuts and bolts with ease. Moovit's molecular capillary action combined with superior lubrication reduces torque and thread wear, requiring less replacement of parts, machinery and equipment. Moovit is user friendly, compatible with all metals, alloys, plastic, and rubber.

Moovit's many uses include bearing and shaft lubricant, unseizing seized motors, threading and tapping oil, air tool oil lubricant, tire mounting, etc. Save time and money with the original Moovit Formulation since 1919.

No mechanic's tool chest is complete without Moovit.
"Muscles in every can".

TECHNICAL DATA

Flash point +200°C Close cup ASTM D93

Pour point -50°C

Cloud point -28°C

Viscosity 95 Cts

Specific gravity .8548



PART#	SIZE
11008	200 g (8 oz) aerosol
11010	250 g (10 oz) aerosol
11014	350 g (14 oz) aerosol
12004	4 ltr jug (1.06 gal)
12016	455 ml (16 oz) bottle c/w sprayer

PART#	SIZE
12020	20 ltr pail (5.25 gal)
12045	205 ltr drum (54.16 gal)
13010	284 ml (10 oz) precision pump
13045	130 ml (4.5 oz) precision pump
18888	Empty 16 oz bottle with trigger sprayer
12001	Empty 1 ltr bottle with trigger sprayer



MULTI LUBRICANT & WIRE ROPE DRESSING

- User friendly, easy, clean application • Non flammable as a liquid
- Non solvent • Non drying properties for superior lubrication
- WHMIS/OSHA non-controlled • Environmentally friendly
- Impervious to moisture, salt, most chemicals and gasses
- Will not attract dust, dirt and abrasives
- Dielectric strength to 34,000 volts • Effective to -50°C
- Inverted spray valve (360°) • Withstands extreme pressures
- Loobit is compatible with plastic/nylon, rubber, natural materials and all metal alloys • Will not cause static electricity
- Compatible with I.W.R.C. and fibre core wire rope.

Loobit is a multi use, heavy-duty lubricant, formulated for use on rollers, drive chains, wire rope and cables, internal control cables, open gears, exposed bearings, load bearings, load bearing hinges and pivot points, mechanical controls and more. This superior long lasting lubricant leaves a clear protective film that is always active. Loobit has proven itself superior as a medium viscosity, clean, environmentally friendly wire rope dressing since its introduction more than 60 years ago.

Loobit works so well because it lubricates and penetrates under high pressures and extreme fluctuations in temperature. The internal strands within wire rope are lubricated to the core where the lubrication and corrosion protection are required. Loobit displaces moisture.

Creosote, asphalt and grease dressings sit on the surface and condensate moisture inside the core, which leads to corrosion, increased wear and shortened life expectancy.

After application Loobit is almost invisible.

A random cut cross section of a treated wire rope best exemplifies the advantages of Loobit, as it will reveal a wicking effect with penetration to the core.

This benefits in corrosion protection and re-lubrication as the cable twists around pulleys and shives.

Metal on metal wear is greatly reduced.

Loobit works in the cable not on it.

Loobit will not accumulate on cable supports and drive mechanisms.



TECHNICAL DATA

Flash point +220°C	Close cup ASTM D93
Pour point +90°C	Cloud point -20°C
Viscosity 400 Cts	Dielectric Strength 34,000 volts

PART#	SIZE
31014	350 g (14 oz) aerosol
32004	4 ltr jug (1.06 gal)
32016	455 ml (16 oz) bottle c/w sprayer
32020	20 ltr pail (5.25 gal)
32045	205 ltr drum (54.16 gal)
33010	284 ml (10 oz) precision pump
38888	Empty 16 oz bottle with sprayer

5 Lubricants & Corrosion Inhibitors

AD2000™

**SUPER CUSHION LUBRICANT
AND CORROSION INHIBITOR**

- Completely dielectric
(eliminates short circuits caused by condensation)
- Naturally suited for vehicle undercoating and inside door panels
- Inverted spray valve (360°) • Maintains equipment like new
- WHMIS/OSHA non-controlled, non hazardous • Solvent free
- Creeps to reach and protect hidden surfaces
- Silicone/Teflon free • Won't collect dust, dirt & grime
- Ideal for wiring harnesses and connections

Nature Given Material - Solvent Free - Non Toxic

Original formulation from the 1960's. AD2000 anti-corrosion formula is a lubricant that prevents and deactivates corrosion on metals, alloys, plastic and rubber on contact. It safely lubricates to ultra fine tolerances to eliminate squeaks and penetrates to leave a clean, non-drying, non-sticky residue. Ideal for new and older equipment or parts when in storage, during transit or in operation. One of the best lubrication and corrosion control agents formed in nature today. Protective qualities. Starts working immediately.



TECHNICAL DATA

Flash point +210°C
Close cup ASTM D93
Dielectric Strength 34,000 volts
Pour point 0°C
Medium Viscosity 350 Cts
Specific gravity .8850

PART#	SIZE
21008	200 g (8 oz) aerosol
21014	350 g (14 oz) aerosol
22004	4 ltr jug (1.06 gal)
22016	455 ml (16 oz) bottle c/w sprayer
22020	20 ltr pail (5.25 gal)
22045	205 ltr drum (54.16 gal)
23010	284 ml (10 oz) precision pump
28888	Empty 16 oz bottle with trigger sprayer

AD3000™

DRIPLESS ANTI-CORROSION BARRIER FILM AND UNDERCOATING LUBRICANT

- Contains no tar or asphalt bi-products which seals in moisture
- Dripless to +42°C · Can be applied over damp/dry surfaces
- Solvent free · Contains natural lanolin and wool wax
- Provides longterm protection · Inverted spray valve (360°)
- Repels & resists water washout
- WHMIS/OSHA non-controlled, non hazardous
- May be sprayed with standard spray equipment
- High viscosity for thicker film application
- Protects and preserves wiring harnesses and connections

Rust block clean undercoating for vehicles and equipment. Ideal for coating existing equipment parts and vehicles for extended service life and preventative maintenance. AD3000 may be applied over rust where it penetrates to the pores of the base metal, sealing out moisture and oxygen eliminating all rust formation with state of the art corrosion inhibitors.

AD3000 stops steel from rusting, aluminum, magnesium and copper from oxidizing and chrome and brass from pitting. Eliminate the destructive effects of harsh chemicals including salt, calcium chloride and carboric acids. AD3000 is compatible with electrical connectors, rubber bushings, moldings, plastic and fiberglass. A non evaporating liquid product with lubricant qualities. Environmentally safe.

Long lasting protection against corrosion.



TECHNICAL DATA

Exceeds ASTM-D-117 salt spray test

Flash point +280°C

Close cup ASTM D93

Pour point +10°C

High Viscosity 1000 Cts

Specific gravity .9025

PART#	SIZE
21514	350 g (14 oz) aerosol
22504	4 ltr jug (1.06 gal)
22520	20 ltr pail (5.25 gal)
22545	205 ltr drum (54.16 gal)

7 Lubricants & Corrosion Inhibitors



AIR MOTOR OIL • Non petroleum base • Effective to -50°C • Ideal for high and low temperature applications

Tested and formulated with a natural base to maintain the internal mechanisms and "O" rings present in most hand held air tools and pneumatic logic controls and valves.

Works extremely well to encapsulate and protect against moisture damage. No freeze pink formula also suitable for construction and underground pneumatic torpedo/boring equipment requiring protection in high pressure, high speed, low temperature applications.



PART#	SIZE
62004	4 ltr jug (1.06 gal)
62008	237 ml (8 oz) bottle
62016	455 ml (16 oz) bottle
67020	20 ltr pail (5.25 gal)
67045	205 ltr drum (54.16 gal)

SYNTHETIC AIR MOTOR OIL

100% synthetic formulated to meet the special industrial requirement. It absorbs water and eliminates any ice buildup and frost in air tools. Blended rust and corrosion inhibitors and allows operation down to -50°C.



PART#	SIZE
68008	237 ml (8 oz) bottle
68016	455 ml (16 oz) bottle
68020	20 ltr pail (5.25 gal)
68045	205 ltr drum (54.16 gal)

MS₂ MOLY™ Anti Seize Compound

• Effective in extreme temperatures up to +1100°C(+2000°F) • Does not separate in container

MS₂ MOLY is a natural molybdenum disulphide based anti-seize compound in a non-melt grease base. Eliminates seizure, galling, fretting and corrosion of threaded connections. Ideal for pre-treatment of mould assembly, studs, exhaust systems, spark plugs, threads, and callipers.

A must for preventative maintenance programs.



PART#	SIZE
62625	250 g brush top container
62650	500 g brush top container

TECHNICAL DATA MoS₂ Content - 66% Consistency - Paste Oil Type - Synthetic

GARAGE DOOR LUBRICANT

- Professional quality • Clean, long lasting lubrication
- Non toxic • Economical • Resists attraction of dust & dirt

For all metal alloy ball bearing rollers in a steel C-channel as found in today's rollup doors. Prolongs life of entire mechanical assembly. Assists in smooth quiet operation. Heavy duty formulation for the most demanding industrial and warehouse doors.

PART#	SIZE
31514	350 g (14 oz) aerosol

Lubricants & Corrosion Inhibitors 8



DRY CORROSION SUPPRESSANT • Neutralizes Acid • Penetrates Cracks • Non Tacky

Heavy-duty rust inhibitor that prevents rust and corrosion caused by moisture and oxidation. Excellent protection for machinery. Ideal for proper storage and shipping of equipment. Easy removal with solvent or water based degreasers. Safe for all metals, painted surfaces, plastic and rubber.



PART#	SIZE
21114	350g (14 oz) aerosol
21120	20 ltr pail (5.25 gal)

DRY TEFLON LUBRICANT A clean inert dry film lubricant and release agent.

Provides microscopic film forming properties. Burnishes into surfaces for long lasting lubrication on metal zippers, snaps, rubber, seals, mouldings, and plastic. Reduces dirt and ice buildup on surfaces. Teflon has been combined with a ceramic reinforced polymer that gives this product exciting new performance. Lubricant Type - Fluoropolymers



PART#	SIZE
21714	315g (14 oz) aerosol

SILICONE LUBE & SHINE MULTI PURPOSE

• Stainless • Odourless • Waxless • Colourless

Multi Purpose Lubricant for the processing and packaging industries. Leaves surfaces clean with a high gloss invisible slippery film. Makes everything slide and glide easier.



PART#	SIZE
61920	400 g (20 oz) aerosol

BELT DRESSING • Improves grip • Eliminates squeal • Extends belt life

Suitable for all rubber and synthetic rubber belt drives. Used in industrial fleet and automotive applications. Clean and odorless. Contains no chlorinated solvents.

PART#	SIZE
31714	330 g (14 oz) aerosol

SANITARY LUBRICATING SPRAY

Sanitary Lubricant suitable for use on dairy and food processing equipment where contact with food may occur. Contains USP and FDA accepted ingredients, and is odorless, tasteless and non toxic.



TECHNICAL DATA

Pourpoint -5°F / -20°C Colour - Colourless Taste - None

PART#	SIZE
41414	350 g (14 oz) aerosol

9 Lubricants & Corrosion Inhibitors



Red Heavy Lithium Complex Grease #2 High Performance Multi-Purpose #2 is a general purpose grease suitable for all bearings in extremely demanding applications of low to high temperatures including wheel bearings. Suitable for food plant use.



PART#	SIZE
66701	400 g cartridge

Food Grade White Lithium EP Grease #1

NLGI#1, E.P. white grease (AAA rated) for use on food processing machinery. Very resistant to water washout. Effective from 0°F to 400°F +F. Suitable for food plant use.



PART#	SIZE
66501	400 g cartridge

Moly Lithium EP Grease #2 EP Moly is a premium quality multi purpose, lithium-base NLGI #2 grease. It is fortified with molybdenum disulfide (also known as moly), which enhances the anti friction properties of the grease. Suitable for food plant use.



PART#	SIZE
66601	400 g cartridge

RED LITHIUM GREASE

A specialty lithium complexed, multi-operational lubricating grease. Particularly useful in applications with temperature extremes of -40°F to 340°F.



PART#	SIZE
61614	300 g (14 oz) aerosol

WHITE LITHIUM GREASE

- Increased lubricity with added PTFE (Teflon®)
- Superior film strength • Inverted spray valve (360°)
- A clean, high quality, multi-purpose grease



PART#	SIZE
61514	300 g (14 oz) aerosol

MS.MOLY SEMI-SYNTHETIC OPEN CHAIN LUBE

• Highly visible • Ideal for chains and masts on lifting equipment Penetrates bearing surfaces of pins and bushings. Resists rust and protects against wear. Keeps chains supple. Excellent clinging and wicking properties for heavy duty protection.



PART#	SIZE
67614	360 g (14 oz) aerosol

5th WHEEL LUBRICANT Fortified with micronized zinc. Cleaner than most conventional greases. Suitable for 1000's of uses where extreme high pressure, weather resistance and salt water environment exposure.

PART#	SIZE
41320	400 g (20 oz) aerosol

Lubricants & Corrosion Inhibitors 10



PLANT OIL BASED
Natural Source Ingredients

- Low odor • Clear, non-toxic • Non hazardous • Environmentally friendly
- Non Staining • No film breakdown • Lubricates under high pressure & heat

Heavy duty metal working and cutting fluid. Odorless, user friendly and environmentally friendlier. Extends life and performance of metal cutting tips, jaws, blades and drills. Suitable for all metals. Excellent for pipe threading and steel sawing, drilling and tapping. Available in a tool pouch size (237 ml / 8 oz bottle).



PART#	SIZE
42108	237 ml (8 fl oz) bottle
42120	20 ltr pail (5.25 gal)
42145	205 ltr drum (54.16 gal)



AQUEOUS CUTTING COOLANT

- Water based formula • Non flammable • Non hazardous
- Excellent in applications where the cooling of the tool is desired

Water soluble cutting fluid for recirculating low & highspeed machining, grinding, and bandsaw applications. Long lasting, low odour formulation. Ideal for ferrous and non ferrous metals. Safe on all metals except magnesium. Does not contain sulphur, chlorinated solvents, chlorine or oils. Corrosion inhibitors prevent flash rusting. Biocide Free. Utilizes an inert ceramic reinforced polymer that withstands extreme pressure up to 30,000 psi.



PART#	SIZE
42208	237 ml (8 fl oz) bottle
42220	20 ltr pail (5.25 gal)
42245	205 ltr drum (54.16 gal)

HYDRAULIC FLUID

All season hydraulic fluid designed for use in severe duty industrial and mobile applications. Meets and exceeds all major hydraulic pump manufacturers requirements. Contains the highest quality extreme pressure additives. Contains no recycled content.



PART#	SIZE
42320	AW32 20 ltr pail (5.25 gal)
42345	AW32 205 ltr drum (54.16 gal)

11 Cleaners and Degreasers



Xtreme Clean™ INDUSTRIAL FORMULA CLEANER DEGREASER CONCENTRATE CAPABLE OF REPLACING SOLVENT DEGREASERS

A heavy duty water based degreaser that can be used up to 1:200 dilution with water.
Parts washer application: 1 pail Xtreme Clean to 3 pails water.
Cost effective. Non flammable. No VOC. Based on 100% plant based surfactants.
Free from phosphates, NPE, SLS and Alcohol Ethoxylates. Non corrosive and no acids.
Cleans and degreases for all heavy duty industrial applications including oil rigs, felts and equipment in paper mills, waste management, rail, shipping, equipment and truck cleaning. Can be used with parts washers, pressure washers, manual cleaning and brushless tunnel.

TECHNICAL DATA

pH - 12.0 Colour - Amber Biodegradability - 100% 28 days



PART#	SIZE
58605	400 g (20 oz) aerosol
58601	1 ltr (32 oz) bottle
58620	20 ltr pail (5.25 gal)
58645	205 ltr drum (54.16 gal)

Green Power MORE POWER THAN THE COMMERCIAL SPRAY CLEANERS/DEGREASERS AND ECO FRIENDLY

- Ready to use • Reduced human and aquatic toxicity • Non corrosive
- Readily biodegradable • VOC compliant • Not a skin sensitizer

This tough, ready to use, water based degreaser is #1 rated. Wetting and cleaning action is immediate even on heavy build ups. Perfect for use in degreasing engines, shop machinery, tools, condenser coils and concrete floors.

TECHNICAL DATA pH - 7.0 - 8.0 Colour - Light Green Biodegradability - 100% 28 days



PART#	SIZE
52622	935 ml (31.6 oz) spray bottle
52620	20 ltr pail (5.25 gal)

Purple Power CLEANER CONCENTRATE

- All purpose cleaning & degreasing • Dilute 4:1 for heavy degreasing
- Biodegradable • 10:1 for hard surface cleaning • Non-Abrasive

PURPLE POWER removes grease, oil, stains, odors, smoke, food stains, mold, pet accidents, tar, wax, air borne dirt, sap and many others.

TECHNICAL DATA pH - 11.0 Colour - Purple Biodegradability - 100% 28 days



PART#	SIZE
57601	1 L (32 oz) bottle
57620	20 ltr pail (5.25 gal)

Biological Cleaners and Degreasers 12



Lloyds' biological cleaners are based on naturally occurring microorganisms that offer sustainable biological alternatives to a variety of chemicals. Among other things, our microorganisms clean surfaces, treat waste water, and improve the growth of plants.

Biological PARTS CLEANER/DEGREASER

- Competitively Priced • Free of VOC's • Non flammable • pH neutral
- Water Based Cleaning Solution for Biological Parts Cleaning Tanks
- Simply natural - no more frequent disposals

Biological Parts Cleaner and Degreaser is a specially designed developed water-based cleaning solution: this formulation contains bio-cultures which open new dimensions for cleaning capacity and user-friendliness.

Biological Parts Cleaner and Degreaser contains selected surfactants to remove oil, grease and other contaminants from parts. Oil and grease are immediately and biologically transformed by bio-cultures. Biological Parts Cleaner and Degreaser is a powerful water-based cleaner that continually renews itself on the basis of a natural biological process called bio-remediation. Bio-remediation achieves a very long useable life-span of the cleaning agent.

PART#	SIZE
82420	20 ltr pail (5.25 gal)

Biological GREASE TRAP MAINTENANCE AND FLOOR CLEANER

A high performance, biological enzyme-enriched floor cleaner, odor eliminator, and grease digester with a pleasant scent. It is recommended for use in food service areas, schools, hotels, hospitals, restrooms, and shower rooms. No rinse is required. The unique chemistry provides cleaning action that brightens surfaces as it cleans and leaves surfaces sparkling clean with a pleasant scent. It is ideal for cleaning concrete, ceramic tile, quarry tile, grout and brick and rubber mats with flooring machine or mopping. Inherent biological action continues to clean between regularly scheduled cleanings to help keep grease accumulations to a minimum. With the added advantage that when the product goes down the drain it carries on working to maintain the drain and is kept free of oils and greases.

Caution: Do not mix or use this product with acid, alkaline, or product containing bleach. For use on floors only. Do not use on food contact surfaces.



PART#	SIZE
87401	1 ltr (32 oz) bottle
87420	20 ltr pail (5.25 gal)

13 Cleaners and Degreasers



LX 2000 CITRUS WATER-SOLUBLE CONCENTRATE

- User friendly • Environmentally friendly • Non corrosive • Non acidic
- Dilute with water 4:1 for heavy degreasing • Further dilutable up to 100:1

A versatile natural concentrated cleaner/degreaser. Made from the natural sources of oranges, coconuts and biodegradable surfactants. This wonder product will tackle just about any cleaning task without high acidic or caustic precautions. IDEAL FOR: restaurant equipment, stain removal, garage floors, parking lots, oil spots, ceramic tile counter tops, plastic and vinyl, fiberglass, washrooms, building exteriors. PH - 11.0 Biodegradability - 100% 28 days

PART#	SIZE
51520	500g (20 oz) aerosol
52316	500 ml (16 oz) bottle
52504	4 ltr jug (1.06)
52520	20 ltr pail (5.25 gal)
52545	205 ltr drum (54.16 gal)
52001	Empty 1 ltr bottle with trigger sprayer



KLEENS-IT CITRUS BASE CLEANER/DEGREASER

MADE FROM ORANGE PEELS & ORANGE OIL, A NATURAL SOLVENT REPLACEMENT FOR PETROLEUM SOLVENTS FOR THE CLEANING OF MECHANICAL PARTS.

"Nature's Perfect Degreaser" • Naturally derived from the peel of oranges

- Preferred degreaser for the automotive and mining industries
- 100% Active • Removes stickers, glue, and ink residue
- Excellent choice for heavy equipment, engines & parts

A natural cleaner/degreaser for all metal surfaces. Dissolves and cleans grease and residue without harming painted surfaces and rubber attachments. Biodegradability 100% 28 days.

PART#	SIZE
51120	454 g (20 oz) aerosol
52104	4 ltr jug (1.06 gal)
52120	20 ltr pail (5.25 gal)
52145	205 ltr drum (54.16 gal)



PURE CLEAN CARPET AND FABRIC CLEANER

Pure Clean has been formulated as an environmentally safe, non hazardous product. Low foaming and highly effective in the cleaning of grease, mildew, molds & stains from carpets & hard surfaces. It leaves a fresh pleasant odour based on natural extracts from orange & lemon peels.

Use with carpet steam cleaners or bucket dilution method.

TECHNICAL DATA PH - 9.0 Biodegradability - 100% 28 days

PART#	SIZE
72820	20 ltr pail (5.25 gal)





MOLD & MILDEW REMOVER Effective on canvas, vinyl, painted surfaces and all water safe surfaces to remove mold & mildew. No offensive chlorine fumes. Also effective on wine, tea and coffee stains on carpets and fabrics.

PART#	SIZE
82350	935 ml (31.6 oz) spray bottle

H.P. ACTIVATOR NATURAL BLEACH CLEANER

- Exceptional cleaning efficiency because of its oxidizing capabilities
- Safe for fabrics, carpets & textiles
- Leaves a cleaner and brighter surface
- Produces no odours or harmful vapours
- Cleans all types of organic stains such as mildew, soil, dirt, blood and wine off any surface

Hydrogen Peroxide is the oldest known anti-microbial, widely regarded as having exceptional cleaning and fast disinfecting capabilities.

The product is available in a stabilized powder form for easy application.

PART#	SIZE
84350	450 g Concentrated (Makes up to 20 ltr of product)

ISOCARE M.V.R. MOLD VIRAL REMEDIATION

- Proven abilities as an effective bactericide, fungicide, and viracide
- Fully registered with Health Canada and approved for use in Canada
- Fully diluteable and rinseable for safe entry into the environment

ISOCARE M.V.R. registered Din #02243462 and PCP #23396 kills remaining microbial spores, viruses. Also provides residual protection. However, its main purpose is to completely sanitize and provide residual anti-microbial action, which will help prevent the recurrence of the contamination.

PART#	SIZE
82216	450 ml Concentrated (Makes 20 ltr of product)

ISOCARE M.R.S. MOISTURE REMEDIATION SHIELD

An effective sealant to act as a moisture barrier. Helps seal out moisture and condensation which is the single greatest contributor to mold growth. ISOCARE M.R.S. acts as a protective waterproof sealant that will eliminate moisture penetration into porous surfaces such as wood, drywall, concrete, masonry and other building materials. Goes on clear. ISOCARE M.R.S. protects various building materials to handle the interaction of temperature and relative humidity found in all enclosed structures. ISOCARE M.R.S. is a clear, silane based coating that penetrates and bonds achieving a surface completely impervious to moisture and water while allowing the substrate to "BREATHE" allowing water vapour to escape and dry. Absorption of water and condensation within the substrate is eliminated.

ISOCARE M.R.S. helps to prevent damage, decay and growth of microorganisms through moisture repellency.

PART#	SIZE
82520	20 ltr pail (5.25 gal) (Ready to use)

15 Cleaners and Degreasers



KLEENS-IT INDUSTRIAL STRENGTH ELECTRICAL CONTACT CLEANER

- **SAFETY SOLVENT · NON FLAMMABLE** · Low odour · Contains no Trichloroethane 111
- Used in most power-on situations · Cleans, flushes & degreases
- Dries quickly leaving no residue & a clean, paintable surface

A multi purpose cleaner used in servicing, rebuilding, and maintaining electrical equipment. Ideal for switches, relays, shafts, bearings, armatures, brushes, contactors, etc.
Safe for all metals and most plastics.



PART#	SIZE
57220	500 g (20 oz) aerosol

GLASS CLEANER/POLISH *High Performance Glass Cleaner · Ammonia free*

- Dries without streaking · Leaves a clean fresh smell

Used to restore that crystal clear, brand new lustre on glass. Ideal for professional detailing of vehicles and entranceways. Removes acid rain and smoke film easily. Lasts much longer due to anti-fog and anti-static characteristics. Available as a concentrated liquid for commercial applications.

PART#	SIZE
51920	500 g (20 oz) aerosol
52920	20 ltr pail (5.25 gal)
52945	205 ltr drum (54.16 gal)

WOOD REVITALIZER

- Turns Old Wood into New
- Reverses the aging process of wood

Makes cedar clear and pine white. Restores the natural fresh milled look of natural wood. Takes the gray out of weathered wood. Removes black marks and streaks naturally caused by talon and aging terpenes and resin in the wood. The gentle ingredients remove imbedded stains and marks without damaging fibers and restoring wood's natural colour. Use on architectural furniture and restoration, decks. Concentrated - makes 20 litres of ready to use product.

TECHNICAL DATA

PH - 3.0 (10% solution)

Appearance - Amber White Powder

PART#	SIZE
66716	500 g (16 oz) jar

Hand Cleaners 16



LX4HANDS HAND CLEANER

Nature's answer to clean hands. Made with the natural cleaning oils formed in oranges. Leaves hands clean and soft without harsh desensitization. LX4Hands takes on industrial and automotive grime, inks, resins, paints, adhesives, carbon and grease. A natural citrus formulation with skin conditioning emollients and natural surfactants for hands.

Also equally suitable for light and medium industry or institutional applications requiring frequent use. Plastic scrubbers give gentle microscopic scrubbing action with no sharp edges to wear away or cut skin cells. Available with or without plastic scrubbers.



PART#	SIZE
52704	4 ltr jug (1.06 gal) w/o scrubbers w/pump
52705	4 ltr jug(1.06 gal) w/scrubbers w/pump
52708	237 ml (8 oz) w/o scrubbers
52709	237 ml (8 oz) w/scrubbers
52720	20 ltr pail (5.25 gal) w/o scrubbers
52721	20 ltr pail (5.25 gal) w/scrubbers

Skin Barrier CREAM

A fast drying, greaseless protective foam that leaves an invisible film on the skin to prevent irritation from contact with acids, salts, alkali as well as oil and water soluble irritants.

A barrier that lets skin breathe. Makes hands easier to clean.

This cream is also the answer for people suffering skin irritations caused by latex and vinyl gloves.

PART#	SIZE
41214	350 g (14 oz) aerosol

PRESTIGE PINK™

A LUXURIOUS HAND LOTION CLEANER

Prestige Pink has been formulated to provide a velvety rich texture with a mildness that leaves the skin soft and smooth. Fully biodegradable with neutral pH of 7.


Non irritating even to the most sensitive skin.

Fortified with emollients. Pleasantly scented.

A pleasure to wash your hands with.

PART#	SIZE
42216	4 ltr jug (1.14 gal)
49999	800 ml wall mount soap dispenser

17 Hand Cleaners



Breeze Sicle ODOUR ELIMINATOR

Breezesicle is effective counteracting odours for residential and commercial, industrial, institutional and food plant applications. Breezesicle works fast, effectively and economically to destroy odours caused by tobacco smoke, kitchen odours, locker rooms, refuse, washrooms, auto interiors, sneakers, carpets, pets and much more. A very fresh distinctive sweet fragrance of a Creamsicle Popsicle.

PART#	SIZE
42520	420g (20 oz) aerosol

iso care HAIR AND BODY WASH

Contains natural highly effective conditioning agents and essential oils to help build body and lustre. Gentle high lather qualities suitable for repeated applications. Fully biodegradable. Iso Care is a purifying formula to help eliminate impurities and residues without drying out your hair and skin.

PART#	SIZE
82816	500 ml (17 oz) bottle with flip top

Hand, Dish & Laundry Liquid

Great ! One product does it all ! 100% biodegradable formulation, no phosphates. For Cleaning Hands: Apply a small amount directly onto hands and wash normally. For Laundry: For use in all water temperatures. Safe for infant clothing! Add 1/2 cup (approx. 125ml) to a regular size load of laundry. For heavily soiled areas (shirt collars) apply directly to fabric and rub in thoroughly. For Dishes: Use for hand washing dishes ONLY. Not intended for automatic dishwashers. Apply 5 mls per sink of warm water. For Household Cleaning: Great for porcelain, bathroom tiles, floors, countertops, refrigerators, glassware and windows. Use at 1% solution.

PART#	SIZE
82916	455 ml (16 oz) bottle

Green Quality™



Lime, Calcium & Rust Remover

ENVIRONMENTALLY FRIENDLY

A cleaner that removes calcium, lime, rust and hard water scale without causing skin burns or lung irritation. Our cleaner is also non corrosive & non toxic meaning we're non hazardous to your health. Great for toilet bowls, sinks, tubs, porcelain, stucco, brick, efflorescence on brick, cement, coffee makers, coffee pots, pans, kettles, humidifiers & more!

PART#	SIZE
40002	2 L jug



TOILET BOWL CLEANER INDUSTRIAL STRENGTH

A hydrochloric acid based economical bowl cleaner for cleaning, disinfecting and de-scaling toilets, urinals, etc. Synergistically inhibited for plumbing protection. Works for the strongest rust and scale.

PART#	SIZE
99520	1 L (32 oz) bottle

DRAIN OPENER MANUFACTURED STRICTLY FOR INDUSTRIAL AND COMMERCIAL USE BY CLEANING & MAINTENANCE PROFESSIONALS. NOT SUITABLE FOR GENERAL USE BY PERSONS NOT FAMILIAR WITH ITS HAZARDS & SAFE APPLICATION PROCEDURES. A very highly active sulfuric acid based drain opener. Works fast on organic waste, paper, grease clogs & soap. Inhibited to prevent corrosion.

Great for clogged drains, large floor drains, cesspools & regular drain maintenance.

PART#	SIZE
99550	1L (32 oz) bottle

ODOR STOP UNSCENTED Uses the latest technology to chemically bind odour to eliminate them. Provides permanent relief from disagreeable smells. Use in hotel rooms, cars, hospitals etc. Non staining. Apply directly onto fabrics like drapes, upholstery etc.

PART#	SIZE
42522	935 ml (31.6 oz) spray bottle

Green Quality™



DEODORIZER ADDITIVE

Eliminates unpleasant odours at the source. Excellent for use in washrooms, garbage cans, refuse disposal bins, lockers, changing rooms and anywhere offensive odours exist.

Very concentrated; can be diluted 5:1 with water and used as a space spray, or can be used in electric foggers. Add to mop water or to floor scrubber wash water. More counteractant in every drop means a longer lasting odour control.

PART#	SIZE
99320	1 ltr (32 oz) bottle
99321	4 ltr jug (1.06 gal)
99322	20 ltr pail (5.25 gal)

DEFOAMING AGENT

Concentrated defoaming for extraction that reduces or eliminates unwanted or excessive foam in recovery tanks, automatic scrubbers, shampooing machines and hot water extractors.

Concentrated, making it economical to use.

Water based and non toxic. Neutral pH and non corrosive.

PART#	SIZE
99330	1 ltr (32 oz) bottle
99331	4 ltr jug (1.06 gal)
99332	20 ltr pail (5.25 gal)

FLOOR SCRUBBER

A heavy duty low foaming cleaner formulated for use in automatic power floor scrubbers. A superior concentrated floor cleaner that contains no film forming substances and is completely free rinsing. Will not harm or dull gloss of floor finishes. Derived from natural and renewable sources such as coconut, corn and palm kernal. Also recommended for mopping floor surfaces or manual cleaning under racking and hard to reach areas.

PART#	SIZE
58720	20 ltr pail (5.25 gal)
58745	205 ltr drum (54.16 gal)

Green Quality™



CLEANER DEGREASER

A concentrated heavy duty cleaner that combines builders and biodegradable surfactants that penetrate the heaviest of soils without the potential hazards of caustic burns. Can be used by mop and bucket, scrubbing machines, high pressure cleaning equipment or any place where a heavy duty cleaner is required. Can be diluted up to 100:1 and still be a powerful degreaser. Works on automotive and industrial grease and grime in addition to restaurant applications.

PART#	SIZE
99201	4 ltr jug (1.06 gal)
99202	20 ltr pail (5.25 gal)

Restaurant Hood Cleaner

Removes grease, fat and baked on grime from restaurant hoods, grills and deep fryers. A highly concentrated alkaline product for very fast removal of even the hardest carbonized oils. Formulated with potassium hydroxide to penetrate the toughest grease. Use this product on hot or cold surfaces.



PART#	SIZE
42704	4 ltr jug (1.06 gal)
42720	20 ltr pail (5.25 gal)

SMOKE DETECTOR TESTER

Safe smoke detector testing spray. The non-flammable aerosol sprays a cloud of simulated smoke towards the detector setting off the alarm. The particles are similar in size and density to an actual fire insuring proper testing of photoelectric and ionization based detectors. Using this product should be part of your monthly fire prevention program.

PART#	SIZE
61006	142 g (6 oz) aerosol

21 Metal Cleaners and Polishes



Gleemite™ STAINLESS STEEL CLEANER & INHIBITOR

- Non toxic • Used in the food industry for more than 30 years

Gleemite works like an invisible glove to protect against stains, wear and abrasions on stainless steel. Keeps the surface of stainless steel shiny and impervious to finger prints & scuff marks. Use regularly to keep equipment looking new & clean.



PART#	SIZE
43011	284 ml (10 oz) precision pump
41014	350 g (14 oz) aerosol
42020	20 ltr pail (5.25 gal)

ALUMINUM MAGIC™ ALUMINUM BRIGHTENER AND CLEANER

- Acid Free • Biodegradable • Odorless • Fast acting • Economical to use
- Effortless and amazing results • Restores aluminum to original finish

Acid replacement aluminum brightener and cleaner. Removes oxidization of tarnishes in seconds. Rinses free to reveal original aluminum satin lustre.

BIODEGRADABLE and ODORLESS. Non Caustic and Non Acid. Eliminates the extreme dangers to ones health and to the environment caused by using corrosive acid based cleaners.

TECHNICAL DATA PH - 4.5-5.0 Specific Gravity - 1.1 grams/cc Odor/Fumes - None

PART#	SIZE
77816	935 ml (31.6 oz) bottle
77820	20 ltr pail (5.25 gal)

ENVIRO RUST™ NON ACID RUST REMOVER

- Odourless • Non Toxic • Safe to use • Biodegradable

Non Acid and Non Caustic RUST REMOVER. Use for equipment, parts and tools that can be dipped or immersed in solution. Spectacular activity removing even the heaviest rust. Converts rust back to new metal. Suitable for preparing metal for painting / coating to increase adhesion.



PART#	SIZE
77701	1 ltr (32 oz) bottle
77720	20 ltr pail (5.25 gal)

ENVIRO RUST GEL Ideal for vertical surfaces.

Apply, allow to work, rinse off – Amazing results!

Takes little to no effort compared to abrasive alternatives.

TECHNICAL DATA PH - 4.5-5.0 Odor - None Fumes - None

PART#	SIZE
78701	1 ltr (32 oz) bottle
78720	20 ltr pail (5.25 gal)



SUPERBLUE WAX AND SEALANT · The Most Durable and Long Lasting Wax

- Easy on, Easy off - deep shine with one pass · Protects against cracking & discolouration
- Eliminates dirt attraction & static electricity · Cleans and Shines, leaves a rich high gloss finish

A premium quality paint sealant offering a long lasting easy to apply shine and durable protection. Clearcoat and Gelcoat safe. Restores most faded paint finishes. Superblue is non-scratching and can be used on all painted and non-porous surfaces. Superblue lifts dirt and cleans road grime without harming the surface. Easy to apply. Levels and polishes quickly. Leaves no smear marks.

PART#	SIZE
72916	500 ml (16 oz) can
72904	4 ltr jug (1.06 gal)

MAGIC MIRROR

BRIGHTENS ALUMINUM ALL THE WAY TO A CHROME LIKE MIRROR

- **For professional results by hand or with high speed buffing** Magic Mirror brings the polishing of aluminum to the next level with ease. Polishes, protects and has been formulated to produce long lasting results. A progressive polish that can be reapplied with enhanced results. Leaves a coating that blocks the oxidation process. Also works well on brass, copper, glass, fiberglass, Corian®, polycarbonates and marble.

PART#	SIZE
77908	500 ml (16 oz) bottle
77904	4 ltr jug (1.06 gal)

Plastic Plus RESTORES ALL PLASTIC

Specifically formulated to polish all plastics. Makes scratches less visible by sealing the pores of the plastic. Leaves a high quality antistatic film that is smudge and streak free. May be used on clear, tinted, and coloured plastics, lexan, plexiglas and other acrylics.

PART#	SIZE
57916	370 g (16 oz) aerosol

23 Sealants and Coatings



TIP SHIELD CERAMIC COATING FOR SAVING WELDER'S TIPS.

In contrast to traditional "anti-spatter" product which only protect the item you are welding, Tip Shield protects valuable welding equipment and improves productivity. Can typically last the entire 8 hour shift. Coating is dry within seconds. Once the welding process begins, the coating will harden on the equipment surface. This provides a ceramic shield that repels the spatter, ensuring continuous welding for long periods. Also ideal for robotic welders.

PART#	SIZE
55014	350 g (14 oz) aerosol

WELDER'S ANTI-SPATTER • Value priced and very effective

- Prevents weld spatter from adhering • Effective for all types of welding tips (Mig and Tig)
- Keeps welding tips and nozzles clean • Non greasy • No silicone • Insoluble in water

Welder's Liquid Anti-Spatter is a non-flammable lecithin based liquid anti-spatter produced from extracted soybean oil. It keeps welding tips and nozzles clean and prevents weld spatter adhesion.

PART#	SIZE
56020	550 g (20 oz) aerosol

REMOVABLE Medium Strength Thread Lock

Removable strength blue anaerobic thread locker for fasteners up to 3/4" in diameter. Resistant to gasoline, antifreeze, transmission fluid and oil. Prevents galling and corrosion of threads. Removable with hand tools. Apply prior to assembly.

Resists temperatures from -65°F to 300°F. For locking & sealing carburetor screws, valve cover bolts, water pump bolts, thermostat bolts, rocker arm adjustment nuts, power tools & more.



PART#	SIZE
90006	6 ml
90050	50 ml

PERMANENT High Strength Thread Lock

Permanent strength red anaerobic thread locker. Resistant to gasoline, diesel, antifreeze, transmission fluid and oil. Prevents galling and corrosion of threads. Permanently locks and seals metal nuts, bolts and studs. Resists temperatures from -65°F to 300°F. For locking and sealing frame bolts, freeze plugs, wheel studs, cylinder block and rocker arm studs and more. Retains bearings.



PART#	SIZE
90106	6 ml
90150	50 ml



LIFE LONG RUST PROTECTION

Kryptonite: The most robust steel protection available period. A truly unique metal treatment that is applied like a paint but becomes part of the steel itself. Engineered and tested to last several decades. Even when steel is physically gouged the Kryptonite treatment will not bubble or flake or lift next to the exposed area indefinitely. Kryptonite is immune to salt spray corrosion, steel flexing and carbolic acids (exhaust fumes and acid rain). This ultra strong bond to steel is achieved through an electro chemical reaction. When dry, Kryptonite outlasts hot dipped Galvanized, Powder Coating and Epoxy Coating. Kryptonite dries to an attractive satin black finish but if desired top coating and touch up may be done when dry with no recoat window.



Kryptonite water borne is non toxic, non flammable, solvent free formulation that is high solids and offers up to 1500 sq ft per gallon.

PART#	SIZE
22916	455 ml (16 oz) liquid Satin Black
22920	20 ltr pail (5.25 gal) Satin Black

Kryptonite High Heat formulation has a service range up to 800°F. It is solvent borne and offers extremely fast drying time as well as corrosion resistance.

PART#	SIZE
21914	350g (14 oz) aerosol High Temp Satin Black
27920	20 ltr pail (5.25 gal) High Temp Satin Black



Picture taken of highway transport trailer after 500,000 miles of continuous use from the East Coast to Toronto.



Salt Spreader after 2 years service. Refinished in 2-part Zinc rich Primer and Polyurethane Topcoat.




Salt Spreader after 5 years service. Refinished with KRYPTONITE and Topcoated Polyurethane Paint.

PURE PREP PREPARES METAL FOR TREATMENT OR COATING

- User friendly with no fumes • Non flammable • Easy to apply
- Wipe on/wipe off application

Molecularly prepares and degreases metal for all coating applications. Water based, ready to use, replaces all solvents. Completely removes dirt, grease & oil unlike solvents that spread or thin out oil. Eliminates flash rusting for several weeks. A fraction of the cost of solvents with greater coverage. Visually alters the appearance & texture of metal, enabling an easy method to ensure complete coverage.



PART#	SIZE
25904	4 ltr jug (1.14 gal)
25920	20 ltr pail (5.25 gal)

25 Sealants and Coatings



COLD GALVANIZING ZINC RICH PRIMER

A 93% pure zinc formulation that fights rust and corrosion. Dull grey galvanized appearance that may be painted. Long term protection in harsh environments (up to 2000 hours of 5% salt spray testing). Meets ASTM A780-93.

Dries to touch in 3-5 minutes. Works like a hot dip on ferrous metals, indoors and out. Commonly used as a flash rust preventative on welded areas.



PART#	SIZE
21214	350 g (14 oz) aerosol

RUST PAINT Provides super fast dry time and superior rust protection and coverage to metal surfaces without the need for primer. Higher solids formulation gives more coverage and less coats required than department store products.

PART#	SIZE
21614	350 g (14 oz) Gloss Black
27614	350 g (14 oz) Gloss White

RUBBERIZED UNDERCOATING PAINTABLE Fast drying paintable rubberized undercoating which is exceptionally resistant to abrasions. Remains flexible and is compatible with standard automotive paints.

PART#	SIZE
27314	550 g (20 oz) aerosol

WEB BOND GENERAL USE SPRAY ADHESIVE

Produces a nice even fan spray for permanent adhesion on most surfaces. Professional grade multi-purpose aerosol for bonding foam, fabric, cardboard, paper, foil, plastic film, etc. A high solids, high tech, high coverage formulation that offers quick drying with excellent spray control.

PART#	SIZE
91020	560 g (20 oz) aerosol-red
91021	560 g (20 oz) aerosol-clear



TOP-IT™ TABLE & TOOL SURFACE SEALANT

- Reduces Sliding Friction & Hang-ups · Repels Dirt, Dust & Moisture · Contains No Silicone
- Inhibits Corrosion and Rust · Will not build up even after several applications
- Will not stain or affect finishing of wood

Regular maintenance of saw tables and receiving tables with TOP-IT significantly reduces binding of wood and hang-ups. TOP-IT's unique fluoropolymer formula dries in seconds. Sealant to protect hand tools, equipment and vehicles against rust and corrosion.

PART#	SIZE
67514	305 g (14 oz) aerosol

Fight back™ GRAFFITI/PAINT REMOVER

- Biodegradable · Non flammable · Very low toxicity · No methylene chloride

Fight Back is a user friendly product for safe effective results in removing vandalism marks and leaving the original surface intact. Just spray on, wait 1-3 minutes, scrub lightly or spray with water. Fight Back works well on brick, concrete, ceramic tile, aluminium, steel, brass, chrome, vinyl, enamels, porcelain, marble, formica and most plastics. Also suitable for spray paint vandalism to vehicles and commercial trailers.

PART#	SIZE
61714	350 g (14 oz) aerosol
62720	20 ltr pail (5.25 gal)
61745	205 ltr drum (54.16 gal)

TECHNICAL DATA

PH - 12.0 Colour - Blue Biodegradability - 100% 28 days

Strip-It Green PROFESSIONAL PAINT & COATING REMOVAL

IT WORKS! Biodegradable, Non Toxic, Creamy gel formula – clings to vertical surfaces. Removes paint and graffiti from porous and non porous surfaces. Penetrates deep into concrete, slate, granite, ceramic, brick and metal objects. Also ideal for removing stain from decks. Simply apply and rinse off with water or pressure washer. Leaves no shadow when removing graffiti from porous architectural materials.

PART#	SIZE
67704	4 ltr jug (1.06 gal)
67720	20 ltr pail (5.25 gal)
67745	205 ltr drum (54.16 gal)

TECHNICAL DATA

PH - 11.0 Appearance - Creamy White gel Biodegradability - 100% 28 days

27 Sealants and Coatings



AD OFF Vinyl Adhesive Remover

• Fast acting • Easy to use • Economical

Softens adhesive residue within 90 seconds on most surfaces. May be used on vinyl banners, Plexiglas, Styrofoam, styrene, glass and all painted surfaces. Spot test on new paint before using. Will not harm latex paint.

PART#	SIZE
77401	535 ml (18 oz.) bottle
77404	4 ltr jug (1.06 gal)
77420	20 ltr pail (5.25 gal)

Peelable Coating & Glue Release

A clear peelable coating for spray booth walls, ceilings, floors and other surfaces where paint overspray accumulation can be easily removed. This booth coating can be used as a peelable coating on steel surfaces to eliminate flash rusting or as a protective coating on glass, plexiglass, rubber, cement, aluminum and many other surfaces.

Stabilized against brittleness. It will not be softened or penetrated by most solvent based paints. The ultimate in non-solvent peelable coatings. Also useful to protect surfaces where glue buildup can be a problem. One coating does it all.

TECHNICAL DATA

Odors - Mild Viscosity - 2300-2600 cps
 PH - 7.00 Biodegradability - 100% 28 days
 Solubility in Water - Complete

PART#	SIZE
20420	20 ltr pail (5.25 gal)
20445	205 ltr drum (54.16 gal)

White Peelable Coating & Glue Release

Peelable Coating & Glue Release also available in white.

PART#	SIZE
27420	20 ltr pail (5.25 gal)
27445	205 ltr drum (54.16 gal)



AD1000™ DRIPLESS OIL ANNUAL RUSTPROOFING

A very high quality mineral oil based coating that offers exceptional protection against corrosion. It can be applied to both the interior panels and exterior chassis of vehicles. Ideal for use on new and old cars. This product should be applied annually as part of a preventative maintenance program to eliminate corrosion. AD1000 is a valued priced, low odour and clean product that meets and exceeds ASTM specifications for salt spray endurance and corrosion protection. Ideal for inside body panels and all exterior exposed chassis components. Application rate: 1.5 to 2 litres per midsize vehicle.

PART#	SIZE
21420	20 ltr pail (5.25 gal)
21445	205 ltr drum (54.16 gal)

SALT SHIELD WATER BASED SALT REMOVER AND CORROSION PREVENTER

Salt neutralizer and salt remover liquid concentrate effectively removes salt residue from pores in metal and other surfaces to prevent rust and corrosion. Use on salt spreaders, snowplows, truck boxes and truck chassis for maximum longevity. Any surface exposed to salt should be treated with our Salt Shield.

Salt Shield contains actives that dissolve, release and remove salt crystals from any surface. It will work to protect against salt corrosion and reduces costly repairs caused by salt. Highly effective corrosion inhibitors leave a protective film on surface until surfaces are again exposed to water. Will not strip wax or cause streaks or spots. Spray on diluted product or use pressure/power washer. Biodegradable and non toxic to humans and the environment.

Concentrated, can be diluted to 1 to 512 parts water.

Do not rinse off product with water after application or corrosion inhibition is reduced. Protects aluminum, copper, brass, mild steel with over 99% effectiveness.

TECHNICAL DATA PH - 6.0 - 7.0 Colour - Amber

PART#	SIZE
27104	4 ltr jug (1.06 gal)
27120	20 ltr pail (5.25 gal)
27145	205 ltr drum (54.16 gal)

29 Fuel Treatments



NANOLUBE™ DIESEL FUEL TREATMENT

Nanolube is a concentrated, full spectrum fuel additive and combustion catalyst designed for use with diesel, bio-fuel, kerosene and heavy fuel oil. The formula has a treatment ratio of 1:2500. Its unique formulation eliminates tank sludge, improves combustion and reduces harmful emissions while improving lubricity, filter life and preventing corrosion to tanks and the entire fuel system.

Use **NANOLUBE** everytime you fill up to:

- Stabilize Fuel
- Eliminate Carbon Deposits
- Reduce Harmful Emissions
- Lower Fuel Consumption
- Breakdown and Remove Sludge and Slime
- Decontaminate and Clean the Entire Fuel Injection System

For low sulphur diesel fuels. A performance additive to replace the lubricity of sulphur. Contains a superior detergent to keep your entire fuel system clean. Improves cetane.

Contains no alcohol. Metal cans are suitable for steel recycling. Treat rate 535 ml (18 oz.) treats up to 800 litres (180 gallons).

PART#	SIZE
72501	535 ml (18 oz) can
72520	20 ltr pail (5.25 gal)

NANOLUBE™ COLD WEATHER ANTIGEL

Nanolube Antigel has all the benefits of Nanolube Diesel Fuel Treatment with an additional cold weather flow additive. Cold weather crystallizes and thickens diesel fuel due to wax formation growth.

Nanolube efficiently modifies wax crystal growth and improves pumpability in today's diesel fuels. Suspends wax crystals in liquid formation eliminating wax dropout due to sub zero temperatures.

Metal cans are suitable for steel recycling.

Treat rate 535 ml (18 oz.) treats up to 600 litres (150 gallons).

PART#	SIZE
72601	535 ml (18 oz) can
72620	20 ltr pail (5.25 gal)



Fuel Stabilizer

- Ethanol compatible
- Concentrated
- Extra strong for the end of the year storage

Concentrated. Ideal for all 2 cycle and 4 cycle engines. Lasts for 12 months or more to stop the degradation of gasoline. Also assists in gas line antifreeze protection and shellac formation inside the carburetor and gas tank. Metal cans are suitable for steel recycling. Treat rate: 1/2 oz. per gallon.

PART#	SIZE
92750	473 ml (16 fl oz) can
92704	4 ltr jug (1.06 gal)
92720	20 ltr pail (5.25 gal)

Ethanol Fuel Treatment & System Cleaner

- Cures Ethanol (E10) Problems
- Cleans Injectors • Cleans Carb Jets • Fuel Stabilizer
- Dries Oil & Fuels • Adds Lubricity • Frees Lifters-Rings
- Carbon Cleaner • Upper Cylinder Lube
- Ethanol compatible
- Inhibits ethanol sourced corrosion in the entire fuel system
- Stabilizes fuel chemistry
- Reduces emissions and promotes a smooth operation at all r.p.m.
- Helps to avoid costly fuel related repairs due to fuel degradation

Fuel synergy of chemical ingredients that work as an enzyme constantly maintains fuel quality through temperature fluctuations and time. Metal cans are suitable for steel recycling. Treat rate: 535 ml (18 oz.) treats up to 1,000 litres (288 gallons).

PART#	SIZE
92535	535 ml (18 oz) can
92520	20 ltr pail (5.25 gal)

31 Automotive and Fleet Maintenance



KLEENS-IT™ NON FLAMMABLE BRAKE PARTS CLEANER

- No Trichloroethane 111 • Very low odour • Non Flammable
- No methylene chloride-Water base • High pressure CO2 propellant

Exceptional performance in a truly unique formulation. Cleans and degreases brake parts instantly. Evaporates quickly leaving no residue. Helps to eliminate brake squeal. A value priced product with no compromise to safety and performance. Good for 1000s of other applications.

TECHNICAL DATA

Propellant - CO2 %VOC - 45% Non flammable by CSMA extension test

PART#	SIZE
51320	600 g (20 oz) aerosol
52304	3.75 ltr jug (1 gal)
52320	18 ltr pail (4.6 gal)

KLEENS-IT™ NON CHLORINATED BRAKE PARTS CLEANER

- Very fast drying with low odour • NO CFC'S • Leaves no residue
- Good degreasing qualities • An economical alternative

Instantly removes brake fluid oil, transmission fluid, grease, brake dust and other contaminants from all types of brake assemblies including drum, disc pads, linings, springs, cv joints, cylinders and rotors. Helps reduce brake squeal.

TECHNICAL DATA

Propellant - CO2 %VOC - 45% Flammability - Flammable Active Ingredients 97%

PART#	SIZE
57320	400 g (20 oz) aerosol
59320	20 ltr pail (5.25 gal)

Green Quality™ ECO FRIENDLY BRAKE PARTS CLEANER

- Low solvent • VOC exempt

A quality brake parts cleaner that is non flammable, safe for the environment, odourless and free of fumes. The best choice for a business that is looking to green up and protect their employees. This product has no compromise of performance other than a slower dry time that can be sped up with the assistance of compressed air.

PART#	SIZE
51305	400 g (20 oz) aerosol
50320	20 ltr pail (5.25 gal)



NANOCLEAN[™] TRUCK WASH INDUSTRIAL STRENGTH

• Dilution up to 200:1 • Fully biodegradable • No brushing required

A premium grade foaming heavy duty truck wash designed to work in one application without brushing. Removes acid rain, streaking, grime, bugs and difficult road film. Formulated from a blend of alkaline builders, emulsifiers, water softeners and wetting agents. No harsh caustics, acids or solvents. Also ideal for washing equipment and buildings. pH balanced.

TECHNICAL DATA

pH - 12.5 Colour - Brown/Cherry Biodegradability - 100% 28 days
Viscosity - Low (water like)

PART#	SIZE
77220	20 ltr pail (5.25 gal)
77245	205 ltr drum (54.16 gal)

NANOCLEAN[™] CAR WASH SUPER CONCENTRATED

A concentrated high foaming gentle wash and wax that cleans exceptionally well but does not strip wax or paint sealants. Rinses with no residue. Made from a synergistic blend of Botanical Source surfactants. Nano Clean gives microscopic cleaning with fully biodegradable and user friendly features. Use at 1 oz per gallon or at 60:1 dilution ratio in pressure washers.

TECHNICAL DATA

pH - 9.0 Colour - Pink/Cherry Biodegradability - 100% 28 days
Viscosity - Very viscous

PART#	SIZE
72250	455 ml (16 oz) bottle
72220	20 ltr pail (5.25 gal)
72245	205 ltr drum (54.16 gal)

BioSOLVE LABEL AND ADHESIVE REMOVER

Fast and effective removal of labels and sticky adhesive from painted, metal and glass surfaces. Will also dissolve chewing gum and grease stains. Quickly breaks down adhesive residues. Controlled evaporation. Contains natural citrus extracts. This product is also highly effective for tar removal and tree sap removal. Will not harm paint.

PART#	SIZE
77320	20 ltr pail (5.25 gal)

33 Automotive and Fleet Maintenance



Cosmetics for Leather™ LEATHER CLEANING AND CONDITIONER

Cosmetics for Leather keeps leather surfaces like new by protecting against cracking, fading and discolouration. Fortified with natural emollients and UV blockers, Cosmetics for Leather will maintain and restore the natural oils and moisture in leather and protect your leather against harmful UV sunlight damage.

PART#	SIZE
79916	500 ml (16 oz) bottle
79904	4 ltr jug (1.06 gal)

VELOUR AND FABRIC CLEANER

High foaming automotive interior cleaner gently lifts and removes dirt, soil and grime from velour, cloth, carpet, vinyl & leather surfaces. It will not soak into fabric and leaves the surface dry, clean & deodorized.

PART#	SIZE
71820	500 g (20 oz) aerosol

WATER & STAIN REPELLENT PROFESSIONAL *Fabric and Upholstery Stain Repellent*

Makes all fabrics resilient to stains & rubbed in grime. Keeps fabric and upholstery cleaner and newer looking longer. Water based formula. Excellent stain repellency. Protects fabrics used in upholstery, auto interiors, chair cushions, table linens, drapes, carpets, rugs, etc.

Will not change the look, feel or breathability of fabrics.

PART#	SIZE
76016	935ml (31.6 oz) spray bottle
76004	4 ltr jug (1.06 gal)

ENGINE SHAMPOO

• Non caustic • Non acid • Solvent based

Non corrosive, environmentally friendly cleaner/degreaser made with a biodegradable solvent and surfactants. This cleaner loosens even the hardest to remove soils and does the job quickly and effortlessly. Applications: Engines, industrial machinery, garage equipment, tools, garage floors, etc.

Will not harm paint or electrical wiring.

PART#	SIZE
71120	400 g (20 oz) aerosol
72120	20 ltr pail (5.25 gal)
72145	205 ltr drum (54.16 gal)



PROTEC 2000 UV PROTECTANT

CONCENTRATED VINYL PROTECTANT AND TIRE DRESSING

- White emulsion • Eco Friendly
- Lasts 2-3 times longer than other popular brands
- Excellent for inside and outside vehicles
- Contains 4 active vinyl copolymers in addition to silicone
- Safe for dashboards and helps reduce dust & dirt attraction

Dressing shines, revitalizes and protects rubber, plastic and vinyl surfaces. Water based dressings are recommended for engines and interiors. Protec 2000 has long lasting UV protection to meet all your detailing needs.

PART#	HIGH GLOSS
71020	420 g (20 oz) aerosol
71220	20 ltr pail (5.25 gal)
77045	205 ltr drum (54.16 gal)

PART#	SATIN
72016	500 ml (16 oz) bottle w/trigger sprayer
72004	4 ltr jug (1.06 gal)
72020	20 ltr pail (5.25 gal)
72045	205 ltr drum (54.16 gal)

For dashboards, where a satin finish is desired, use at 25% with water

Good to Go™

VINYL PROTECTANT AND TIRE DRESSING

SILICONE - CLEAR BLUE HIGH GLOSS - SOLVENT BASED

- High gloss • Low price

A traditional formulation that performs with professional results. No need to wipe or touch, just spray and walk away. Also ideal for engine compartments.

PART#	SIZE
75020	20 ltr pail (5.25 gal)
75045	205 ltr drum (54.16 gal)

SILICONE FREE - HIGH GLOSS - SOLVENT BASED

- Solvent Based • Self-levelling & does not wash off
- Safe for use in body shops. Contains no silicones or waxes. Use for dressing both inside and outside vehicles.

PART#	SIZE
72320	20 ltr pail (5.25 gal)
72345	205 ltr drum (54.16 gal)

35 Automotive and Fleet Maintenance



Fine Detail Spray FOR GLASS AND PAINTED SURFACES

Wipe and Polish everything. Ideal to maintain that showroom look. Very easy to spray and wipe off for a stellar finish on painted surfaces, glass and plastic. Ideal for quick touch-up after washing.

PART#	SIZE
78916	455 ml (16 oz) bottle
78904	4 ltr jug (1.06 gal)

The Last Detail FOR HARD TO REACH AREAS

• **Vinyl, Rubber, Plastic** A long lasting satin protectant for hard to reach areas such as vents, dashboards, and motor components. Dries quickly with no sticky residue.

PART#	SIZE
78914	300 g (14 oz) aerosol



Windshield and Glass Treatment Concentrate

A highly effective window treatment that will contribute to safety. Dramatically improves wet weather driving visibility. Simply apply to exterior glass and watch the raindrops disappear. Suitable for truck and bus fleets as well as other vehicles. Helps easily remove frost, ice, salt, mud and bugs. Clear vision is better safety.

PART#	SIZE
70008	237 ml (8 oz) bottle



Windshield Washer Fluid Additive for Glass Treatment

An additive to add to washer fluid to transform ordinary washer fluid into windshield treatment that repels rain, snow, mud and soil for greater visibility.

PART#	SIZE
70016	455 ml (16 oz) bottle



AIR FRESHENER & ODOR COUNTERACTANT

Naturally derived fragrances from botanical sources and essential oils. Blended with a very effective odor counteractant. Highly concentrated and water soluble, each bottle contains 4 litres of effective long lasting freshness. Dilute with water if required.

for Home / Office / Vehicles

PART#	SCENT	PART#	SCENT
42501	REAL LEATHER	42506	LEMON GRASS
42502	NEW CAR	42507	MOUNTAIN FRESH
42503	GRAPEFRUIT	42508	FRESH MINT
42504	WILD CHERRY	42509	BREEZE SICILE
42505	VANILLA	42510	APPLE PIE



FOG IT™ BATTERY TERMINAL & ENGINE STORAGE SPRAY

• **Inverted spray valve (360°)** FOG-IT controls and eliminates corrosion in acetic environments common to battery terminals and internal combustion engine surfaces. More cost effective than dielectric grease. Extension tube allows easier access to protect hard to reach electrical connections.

PART#	SIZE
61114	350 g (14 oz) aerosol

AIR BRAKE ANTI-FREEZE Will absorb condensation and moisture from compressed air brake systems and render complete protection and lubrication against frozen air lines and mechanisms. Contains a natural rubber protector to help protect seals and hoses.

PART#	SIZE
92801	1 ltr bottle
92804	4 ltr jug (1.06 gal)
92820	20 ltr pail (5.25 gal)

Tire Lube • Safe on both natural & synthetic rubber • Will not induce rust
• **Very stable, will not oxidize** • **Mixes easily with water**

This product is a concentrated solution of pure plant based oil potash soap, with glycol and inhibitors. While the product is used primarily as a tire mounting lubricant, it is also used in varying concentrations as a lubricant to facilitate the assembly of rubber to rubber, rubber to metal and rubber to glass parts.

PART#	SIZE
72704	4 ltr jug (1.06 gal)
72720	20 ltr pail (5.25 gal)

LOCK DE-ICER & LUBRICANT

Large 2.5 oz (48 gram) aerosol with 360° valve and key slot adaptor. A perfect lock maintenance program that will displace moisture, clean and flush the mechanism and leave behind a clean long lasting lubricant. Ideal for vehicles, padlocks and entry keysets. Works in all temperatures.

PART#	SIZE
91999	48 g (2.5 oz) aerosol

37 Automotive and Fleet Maintenance



ECO AIR™ • Commercial and residential applications in AC and heat exchanger coils

Professionally treats the entire vehicles' ventilation system for offensive odours. Naturally kills mildew and bacteria, the source of offensive odours. Vehicle & ductwork will smell fresh & clean after treatment. Comes with 30" tube and nozzle.

PART#	SIZE
41810	250 g (10 oz) aerosol

COIL CLEANER For refrigeration and air conditioning condensers. An excellent choice to clean condensor fins. Spray on and it does the work. Leaves no oily film. Non conductive. Active cleaning action using soybean extract and acid replacement technology. Non flammable. Dries completely. Restores coils and rad to like new appearances for maximum effectiveness.

PART#	SIZE
42822	935 ml (31.6 oz) bottle
42804	4 ltr jug (1.06 gal)

FIND IT GAS LEAK DETECTOR A bubble type gas leak detector. Leaks appear large strong bubbles, which cling to the surface. For use on pressurized equipment containing most gasses, air, natural gas, refrigerants, etc. Completely biodegradable and non-toxic. Good to -12°C (10°F). Use on hot or cold piping. Will not stain or rust parts.

PART#	SIZE
42808	237 ml (8 oz) bottle

Carburetor AND CHOKE CLEANER • Inverted spray valve (360°)

With fewer carbureted vehicles on the road today, this inexpensive solvent cleaner will perform thousands of difficult tasks. Remove grease, grime & shellac barriers from metal parts & tools.

PART#	SIZE
51814	350 g (14 oz) aerosol
52820	20 ltr pail (5.25 gal)

AIR INTAKE SYSTEM CLEANER • Oxygen sensor and catalytic converter safe

• **Inverted spray valve (360°)** For use in cleaning the air intake system and sensors on fuel injected vehicles. A safe cleaner for critical but sensitive parts on the fuel injector system.

PART#	SIZE
51420	420 g (20 oz) aerosol



KLEENS-IT UV INK CLEANER

Lloyds UV Ink Cleaner is a cleaner specially formulated for cleaning UV inks on narrow web presses, anilox rolls and general cleaning. The cleaner's advanced surfactant technology is exceedingly environmentally friendly, using no petroleum distillates or environmentally hazardous chemicals. It is a biodegradable, low vapor pressure, low V.O.C. cleaner. This product can be diluted 10 parts of water to 1 part of Lloyds UV Ink Remover for light cleaning, 5 to 1 for everyday cleaning and full strength for heavy cleaning.

Cleaning Anilox Rolls:

The best technique to clean anilox rolls is to spray on the roll and let it sit for 5 minutes.

The cleaner works better once it gets started.

Then just use a rag and wipe or rub the roll down.

Keep applying until no more ink comes off of the roll.

If you spray cleaner on the roll and drag a white towel on the roll and see more ink coming out it is still dirty.

Also brush agitation will speed up the process.

PART#	SIZE
57020	20 ltr pail (5.25 gal)
57045	205 ltr drum (54.16 gal)

KLEENS-IT FLEKO INK CLEANER

Environmentally safe and biodegradable. Kleens-It Flexo is an all around work horse to clean all water based and solvent based inks from any surface including anilox rolls. Fully dilutable with water. Removes the most stubborn, hardened inks in seconds. Specially formulated for problematic water based cleaning. Our special anti-rust additive will prevent rusting and corrosion of metal. Save time and money with our very strong and effective ink removal blend.

PART#	SIZE
52020	20 ltr pail (5.25 gal)
52045	205 ltr drum (54.16 gal)

39 Electronic Specialty



DUST-IT COMPRESSED AIR DUSTER

COMPRESSED AIR DUSTER AND COMPONENT FREEZE

- Non flammable • 0% voc content • DOT 10232 approved
- 100% non ozone depleting • DOT exemption T.C. SUS292NRC

Use on all electronic equipment to blow away dust and dirt from delicate or hard to reach places.

Provides static free and high purity cleaning, leaves no residue and avoids scratching. Component freeze provides instant cooling to -51°C. Dust-It can be used to locate thermal intermittence of all electronic components. Comes with trigger lock and extension tube (eliminates accidental activation).



PART#	SIZE
71030	295 g (10 oz) aerosol

DUST-IT2

ECONOMY SIZED AIR DUSTER

- No CFCs • High pressure spray • Economically priced

Moisture free air precision air duster. High flow valve & head for extra pressure.

Removes dirt, iron oxide deposits, lint, dust, etc. Ideal for camera lenses, disc cartridges, instruments, film, computer printers, scientific equipment, electro mechanical devices, magnetic tape heads, miniature assemblies etc.

Electrical equipment should be turned off or disconnected from power source prior to use.



PART#	SIZE
77020	285 g aerosol

KLEENS-IT

ELECTRONIC CONTACT CLEANER

- Dries quickly • Leaves no residue • Non conductive
- Always use in power-off situation • Low odour (no CFC's)
- Works to maintain signal strength and positive contact

A natural blend of 4 alcohols engineered to flush and clean dust, dirt and contaminants with no damaging effects to plastics, metals, synthetics, electrical components and circuit boards. Works to deflux solder joints for positive connections and precision cleaning.



PART#	SIZE
51208	200 g (8 oz) aerosol
53210	10 oz precision pump



PURESOLVE HIGH PURITY CONTACT CLEANER

• High purity • Residue free • Non conductive • Non flammable • Fast evaporating

The nonflammable, fast evaporating contact cleaner which does not leave a residue and dries fast. Safe to use on all plastics for removing oil, grease, dirt and other foreign materials from precision mechanical and delicate electrical/electronic parts leaving no residue.



PART#	SIZE
59220	425 g (15 oz) aerosol

Roll-it ROLLER AND BLANKET CLEANER

Use for cleaning rollers in photocopiers, fax machines, laser and inkjet printers. Excellent for removing carbon and ink. Made of natural citrus and U.S.P. grade alcohol that will clean and preserve the hardened rubber and plastic rollers to original manufacturer's specification.

PART#	SIZE
52404	4 ltr can (1.06 gal)
52408	237 ml (8 oz) polybottle with flip top

CRYSTAL CLEAR MONITOR, SCANNER AND COPIER GLASS TREATMENT

For use on all glass and plastic to clean and optically polish for perfect image reproduction. Cleans scanner glass, reduces blurring and eliminates dirt marks. Anti-static qualities eliminate and reduce dust attraction to surface. Also helps to reduce friction on automatic paper feeds.

PART#	SIZE
52908	237 ml (8 oz) bottle

Ultra Sonic CLEANING DETERGENT

It possesses high sequestering ability, strong surface activity, good suspending emulsification properties. A pH balance product formulated to maintain an effective hydrophilic-hydrophobic balance. As a result of the effective detergent-water interface, which penetrates around soils and surface contaminants, ultra sonic action in cleaning is enhanced.

PART#	SIZE
57404	4 ltr jug (1.06)
57420	20 ltr pail (5.25 gal)

41 Plastic Injection Moulding Specialty



MOULD RELEASE

PAINTABLE CO POLYMER

High heat stability with no residual film that will accept paint without causing finish imperfections.



PART#	SIZE
67820	400 g (20 oz) aerosol
62820	20 ltr pail (5.25 gal)

MOULD RELEASE SILICONE BASED • Large 20 oz. can • Lubricates • Non-staining

• Faster moulding • Heat stable, Non-toxic

A heavy-duty formulation engineered for industry demanding more cycles. Helps manufacturers realize maximum efficiency & quality.

Less sticking. Best for high-pressure applications.



PART#	SIZE
61820	400 g (20 oz) aerosol
65820	20 ltr pail (5.25 gal)

MOULD RELEASE ECONOMY

Convenient and economical for efficient machinery operation. Medium duty all temperature release.

Fast drying on hot and cold moulds.

Operating temperatures +35°F to +600°F.



PART#	SIZE
61814	410 ml (14 oz) aerosol
69820	20 ltr pail (5.25 gal)

MOULD RELEASE FOOD GRADE

• Inert • Harmless to metals and plastics • Excellent for thin wall container manufacturing

• FDA and USDA approved for food machinery • Operating temperatures +30°F to +600°F



A multipurpose, heat stable silicone release formulation suitable for use in the food packaging industry. Dimethyl polysiloxane surface treatment, release material lubricant and processing aid in food processing and packaging applications.



PART#	SIZE
68814	410 ml (14 oz) aerosol
68820	20 ltr pail (5.25 gal)

EJECTOR PIN LUBRICANT Lubricates ultra fine tolerances to 1/1000th of an inch and offers good heat resistance. Made expressly for application to knock out pins when in forward position. Does not contain silicone or teflon.

PART#	SIZE
61214	410 ml (14 oz) aerosol



MOULD CLEANER AND DEGREASER • Non flammable

Mould Cleaner and degreaser is formulated for in place cleaning of all metal moulds during use or for superior clean up prior to storage. Removes all release agent residues, grease, oil and wax buildup on moulds.



PART#	SIZE
67920	520 g (20 oz) aerosol
65920	20 ltr pail (5.25 gal)

MOULD CLEANER FAST DRYING NON CHLORINATED

• Fast Drying • Low odor

Removes all release agent residues, grease, oil and wax buildup on moulds. Economically priced.



PART#	SIZE
66820	400 g (20 oz) aerosol
66520	20 ltr pail (5.25 gal)

MOULD SAVER Mould Saver protects all moulds and precision tools during storage and transportation. The fan spray allows for uniform and complete coverage. During short or long emissions Mould Saver will protect all bare metal surfaces and is easy to remove with no residue using mould cleaning solution. Displaces moisture & eliminates corrosion.



PART#	SIZE
61414	350 g (14 oz) aerosol

RESIN REMOVER Unique formulation proven to work where others fail. Eliminates or reduces the need for repeated high speed abrasive cleaning & polishing. Ideal for small journals and pin areas on moulds. Cleans burnt plastic and resin residue buildup adhering to mould surfaces. Available in handy aerosol or 20 litre bulk liquid.



PART#	SIZE
67414	350 g (14 oz) aerosol
67420	20 ltr pail (5.25 gal)

43 Construction Specialty



ASPHALT RELEASE NO FREEZE FORMULATION

Canola/Soya Base Asphalt Release Agent. Non WHMIS controlled. Biodegradable. Non Petroleum. Heat resisting, natural oil blend. Will not freeze. Works on all asphalt handling equipment including beds, trucks, pavers, tools, spreader bars, belts & conveyors.

TECHNICAL DATA Odor - Slight
Flashpoint - >200°F Solubility in water - Insoluble

PART#	SIZE
89020	20 ltr pail (5.25 gal)
89045	205 ltr drum (54.16 gal)

ASPHALT RELEASE WATER SOLUBLE (CONCENTRATE)

Biodegradable. Non WHMIS controlled. Works on trucks, pavers, beds, tools, spreader bars, belts and conveyors. Dilute 1:4 to 1:6 with water for extra economy.

Based on a natural soap based chemistry.

TECHNICAL DATA Odor - Slight
Flashpoint - None Solubility in water - Complete

PART#	SIZE
88020	20 ltr pail (5.25 gal)
88045	205 ltr drum (54.16 gal)

CONCRETE FORM RELEASE 100% NATURAL FORMULA


Concrete Form and Release Agent. Soy based, VOC compliant. Biodegradable. Can reduce bug holes on concrete surfaces. Can be used on wood, fiberglass and aluminum forms. Increases the life of wood forms by penetrating into the wood to waterproof and prevent deterioration. Pavers, trucks, mixers, spreader finishers, buggies, chutes and other types of equipment should be sprayed daily to ensure easy cleanup as it prevents concrete build up. Also works as a rust preventor. Non WHMIS controlled.

PART#	SIZE
87020	20 ltr pail (5.25 gal)
87045	205 ltr drum (54.16 gal)

CONCRETE FORM RELEASE HIGH PURITY MINERAL OIL

Concrete Form and Release Agent. A mineral oil based reactive form release for architectural concrete construction. Leaves a smooth clean surface and allows easy removal of all forming materials. Valued priced and compatible with wood, fiberglass and metal forms. Non WHMIS controlled.

PART#	SIZE
86020	20 ltr pail (5.25 gal)
86045	205 ltr drum (54.16 gal)



CONCRETE CONCRETE/CEMENT/SCALE REMOVER AND CLEANER

- Neutralizes pH of concrete and mortar to prevent efflorescence development
- Non Corrosive • Fast acting • Economical to use • Acid replacement descaler/cleaner
- Excellent rust removal • Prepares and cleans concrete like new • Easily rinsed off

This cleaner has been tested for minimal aquatic toxicity and biodegradability. An acid replacement Concrete and Cement Remover/Cleaner that gives remarkable cleaning results on algae and mineral deposits; yet is the most user friendly of its kind.

PART#	SIZE
82104	4 ltr jug (1.06 gal)
82120	20 ltr pail (5.25 gal)
82145	205 ltr drum (54.16 gal)

TECHNICAL DATA pH - 4.5-5.0 Specific Gravity - 1.2 grams/cc Odor/Fumes - None

CONCRETE REMOVER/CLEANER (ACID BASED - BUFFERED)

- Fast acting and non fuming acid for removal of cement
- Contains corrosion inhibitors - will not be harmful and has a pleasant cherry odour
- Contains wetting agent and penetrates to help speed up concrete dissolution

Suitable for heavy duty applications such as cleaning concrete trucks.

Simply apply, leave solution for a few minutes and watch the active ingredients bubble and fizz the concrete deposits away.

PART#	SIZE
87120	20 ltr pail (5.25 gal)
87145	205 ltr drum (54.16 gal)

CONCRETE CURE & SEAL (SOLVENT BASED)

Solvent Based. VOC Compliant (California). Made for curing, sealing, hardening and dust proofing concrete. Non yellowing, stabilized copolymer resins giving excellent stain resistance, colour enhancing and protective glossy finish. Used for interior and exterior use.


PART#	SIZE
86120	20 ltr pail (5.25 gal)
86145	205 ltr drum (54.16 gal)

CONCRETE GUARD & SEALER (WATER BASED)

Premium satin finish, water based acrylic sealer that provides a tough flexible water resistant film for new or old concrete or terazzo floors. Non yellowing and durable.

PART#	SIZE
85120	20 ltr pail (5.25 gal)
85145	205 ltr drum (54.16 gal)

45 Environmentally Friendly Insecticides



Wasp & Hornet Blaster

Wasp and Hornet Blaster aerosol, nonchlorinated, kills wasps, hornets, yellow jackets and bees. Has a dielectric strength of 40,100 volts.

Allows for safe use by utility and phone companies.

High power stream shoots an incredible 25 feet.

Reg. no. 24634 P.C.P. ACT.

PART#	SIZE
91320	520 g (20 oz) aerosol
91000	10 ft. extension tube with nozzle

SPIDER CONTROL

Spider Control contains natural pyrethrins. Waterbased formulation (solvent free).

Used for ants, cockroaches, crickets, centipedes, silverfish and spiders. Suitable for food

plants, hospitals, hotels, offices and industrial buildings,

theaters and kennels. Reg. no. 24766 P.C.P. ACT.

PART#	SIZE
00555	350 g (14 oz) aerosol



• Water Based • Odourless • Safe for the Environment • Non Staining • No Sticky Residue

Kills crawling and flying insects. Broad spectrum insecticides kill spiders, ants, flies and roaches.

Residual effect for long lasting performance.

Biodegradable ingredients and non WHMIS controlled.

Reg. No. 30088 P.C.P. ACT

PART#	SIZE
00556	1 ltr (32 oz) bottle

High Strength Insect Repellent Low Odor

Extremely effective, highly concentrated DEET based insect repellent. Repels mosquitoes, chiggers, ticks, deer flies, stable flies, black flies, gnats,

fleas, mites and more. Contains 25% DEET.

Reg. no. 27244 P.C.P. ACT.

PART#	SIZE
91306	142 g (6 oz) aerosol

Products Accepted for Use in Food Establishments 46

Canada

Reference Listing of Accepted Construction Materials, Packaging Materials and Non-Food Chemical Products


Last Updated 2012/09/28

[New Search](#)

Results of the search for the company: **Lloyds**

ACCEPTANCE DATE	PRODUCT NAME	CATALOGUE PAGE REFERENCE
1994/06/07	MOOVIT	page 3
2007/07/11	LOOBIT	page 4
1994/06/07	AD2000	page 5
2007/07/11	AD3000	page 6
2007/07/11	Air Motor Oil	page 7
2010/02/22	Synthetic Air Motor Oil	page 7
2010/01/13	Ms Moly Anti Seize Compound	page 7
2010/10/25	Dry Corrosion Suppressant	page 8
2010/02/22	Dry Teflon	page 8
2008/09/04	Silicone Lubricant	page 8
2009/10/28	Sanitary Lubricant	page 8
2009/11/25	Red Heavy Lithium Grease	page 9
2010/08/05	Food Grade White Lithium	page 9
2009/11/25	Moly Lithium EP	page 9
2007/07/11	Ms Moly Chain Lube	page 9
2010/03/26	White Lithium Grease aerosol	page 9
2011/11/03	Orbit Metal Cutting & Threading Oil	page 10
2011/11/03	Orbit Aqueous Metal Cutting Coolant	page 10
2010/03/16	All Season Hydraulic Fluid	page 10
2009/12/11	Xtreme Clean	page 11
2007/01/08	Green Power	page 11
2009/12/11	Purple Power	page 11
2009/12/22	Biological Floor Cleaner	page 12
2007/07/11	LX 2000	page 13
1994/06/07	Kleens-It Citrus Cleaner	page 13
2007/10/07	Pure Clean	page 13
2009/12/17	Kleens-It Industrial Electrical Contact Cleaner	page 15
2010/10/07	LX4Hands	page 16
2010/08/03	CLR	page 18
2010/10/07	Restaurant Hood Cleaner	page 20
1994/06/07	Gleemit	page 21
2010/08/03	Enviro Rust	page 21
2010/10/07	Removable Medium Strength Thread Lock	page 23
2010/10/07	Permanent High Strength Thread Lock	page 23
2010/08/03	Cold Galvanizing Zinc Rich Primer	page 25
2010/05/02	Find-It Gas Leak Detector	page 37
2008/09/04	Dust-It	page 39
2009/12/17	Dust-It 2	page 39
2009/12/17	Kleens-It Electronic Contact Cleaner	page 39
2008/09/04	Pure Solve	page 40
2008/09/04	Mould Release - Paintable Co Polymer	page 41
2008/09/04	Mould Release - Silicone Based	page 41
2008/09/04	Mould Release - Economy	page 41
2008/09/04	Mould Release - Food Grade	page 41
2007/04/12	Mould Cleaner and Degreaser	page 42
2010/02/22	Mould Cleaner - Fast Drying, Non Chlorinated	page 42
2010/02/22	Mould Saver	page 42
2007/04/12	Resin Remover	page 42

2013 Catalogue



Explore the Possibilities of Eco Friendly Products

that Really Work!