



FR SAFETY VESTS

FR-Tech™ 88/12 Flame Resistant Surveyor's Vest

- Flame resistance and comfort combined
- FR-Tech™ 88% premium cotton blended with 12% high-tenacity nylon, 10 oz (340 GSM)
- Material and all components meet CGSB 155.20, 2000 — must be worn with an FR/arc rated sleeved garment
- Thermal Protective Performance (TPP) value: with the spacer 9.4 / contact test 5.8
- CSA Z96-09 Class 1 Level 2 and Class 1 Level FR
- Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15
- StarTech™ FR reflective tape, Protex® hi-viz reflective trim
- ATPV 14 cal/cm² (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category (HRC 2)
- Flame resistance guaranteed for the life of the garment
- Suitable for industrial wash
- Metal snap front, radiophone clip strap and pocket
- Multiple front pockets including cell phone pockets, 4 inner pockets, big back pouch with zipper opening
- D-ring access slot and hanger loop
- Reinforced shoulder seam, herringbone contrast binding



PROD. NO.	MOD. NO.	Colour	Sizes
V2540340	7734	Red	S-4XL
V2540370	7735	Black	S-4XL
V2540380	7736	Royal	S-4XL



100% Cotton Flame Resistant Safety Vest

- 100% FR treated preshrunk cotton knit
- Material and all components meet CGSB 155.20, 2000 — must be worn with an FR/arc rated sleeved garment
- Thermal Protective Performance (TPP) value with the spacer 7.5 / contact test 5.9
- CSA Z96-09 Class 1 Level 2 and Class 1 Level FR
- Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15
- ATPV 9 cal/cm² (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category (HRC 2)
- StarTech™ FR reflective tape
- Sewn with inherently FR thread
- Cell phone pocket
- Snap front
- D ring access slot



PROD. NO.	MOD. NO.	Colour	Sizes
V2510150	128	Orange	XS-5XL
V2510170	129	Black	XS-5XL

Flame Resistant Hi-Viz Vest

- FR treated polyester mesh
- Meets EN ISO 14116 Index 1
- Should be worn over an FR sleeved garment
- CSA Z96-09 Class 2 Level 2
- 5 point tear-away
- StarTech™ FR reflective tape
- D ring access slot
- Adjustable 1 size up at front



PROD. NO.	MOD. NO.	Colour	Sizes
V2510850	6914A	Hi-Viz Orange	S/M, L/XL, 2/3XL, 4/5XL
V2510860	6916A	Hi-Viz Yellow/Green	S/M, L/XL, 2/3XL, 4/5XL



Flame Resistant Cotton Duck Quilted Vest

- 100% FR treated preshrunk 10 oz (350 GSM) cotton duck
- 5.3 oz (180 GSM) modacrylic FR insulation
- Shell material meets CGSB 155.20, 2000 — must be worn with an FR/arc rated sleeved garment
- Thermal Protective Performance (TPP) value of shell fabric: with the spacer 10.4 / contact test 8.3
- CSA Z96-09 Class 1 Level 2 and Class 1 Level FR
- Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15
- ATPV 12 cal/cm² (Arc Thermal Protective Value) (shell fabric only)
- ARC 2 Arc Rating Category (HRC 2)
- StarTech™ FR reflective tape
- Sewn with inherently FR thread
- 5 storage pockets: 2 front slash, 3 inner
- Full brass zipper



PROD. NO.	MOD. NO.	Colour	Sizes
V2510370	1375F	Black	S-3XL

Flame Resistant 100% Cotton Unlined Vest

- 100% FR treated preshrunk 10 oz (350 GSM) cotton duck
- Material and all components meet CGSB 155.20, 2000 — must be worn with an FR/arc rated sleeved garment
- Thermal Protective Performance (TPP) value with the spacer: 10.4 / contact test: 8.3
- CSA Z96-09 Class 1 Level 2 and Class 1 Level FR
- Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15
- ATPV 12 cal/cm² (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category (HRC 2)
- StarTech™ FR reflective tape
- Sewn with inherently FR thread
- Double snap adjustable front
- 5 storage pockets: 2 front, 2 inner, 1 cell phone
- 2 radiophone clip straps
- D ring access slot
- 3 pen slots



PROD. NO.	MOD. NO.	Colour	Sizes
V2510470	1385F	Black	S-4XL

Flame Resistant Modacrylic Mesh Vest

- 100% FR 3 oz (110 GSM) modacrylic mesh
- Meets CGSB 155.20, 2000 for Type 3 garments — must be worn with an FR sleeved garment
- CSA Z96-09 Class 1 Level 2 and Class 1 Level FR
- StarTech™ FR reflective tape
- Sewn with inherently FR thread
- 5 point tear-away
- FR hook and loop front closure
- D ring access slot



PROD. NO.	MOD. NO.	Colour	Sizes
V2510750	6911	Hi-Viz Orange	S/M, L/XL, 2/3XL, 4/5XL
V2510760	6917	Hi-Viz Yellow/Green	S/M, L/XL, 2/3XL, 4/5XL





FR SINGLE-LAYER SAFETY WEAR

Flame Resistant Cotton Safety Jacket

- 100% cotton, FR treated, 10 oz (340 GSM)
- Material and all components meets CGSB 155.20, 2000
- Thermal Protective Performance (TPP) value with the spacer: 11 / contact test: 8.2
- CSA Z96-09 Class 1 Level 2 and Class 1 Level FR
- Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15
- ATPV 9.5 cal/cm² (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category (HRC 2)
- StarTech™ FR reflective tape
- Sewn with inherently FR thread
- Brass FR non-locking zipper plus snap storm placket
- 4 storage pockets: 2 chest, 2 front
- Radiophone clip strap



PROD. NO.	MOD. NO.	Colour	Sizes
V2550110	5554	Royal	S-5XL
V2550150	5553	Orange	S-5XL



Flame Resistant Cotton Safety Overall

- 100% cotton, FR treated, 10 oz (340 GSM)
- Material and all components meet CGSB 155.20, 2000
- Thermal Protective Performance (TPP) value with the spacer: 11 / contact test: 8.2
- CSA Z96-09 Class 1 Level 2 and Class 1 Level FR
- Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15
- ATPV 9.5 cal/cm² (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category (HRC 2)
- StarTech™ FR reflective tape
- Sewn with inherently FR thread
- 2-way brass FR non-locking zipper
- Adjustable elastic suspenders
- 7 storage pockets: 2 back, 2 chest, 2 side, 1 ruler
- 2 pass-through pockets
- Radiophone clip strap



PROD. NO.	MOD. NO.	Colour	Sizes
V2550210	5566	Royal	S-5XL
V2550250	5573	Orange	S-5XL

FR SINGLE-LAYER SAFETY WEAR

Flame Resistant Cotton Coverall

- 100% cotton, FR treated, 10 oz (340 GSM)
- Meets CGSB 155.20, 2000
- Thermal Protective Performance (TPP) value with the spacer: 11 / contact test: 8.2
- Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15
- ATPV 9.5 cal/cm² (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category (HRC 2)
- Sewn with inherently FR thread
- 2-way brass zipper
- 7 storage pockets: 2 back, 2 chest, 2 side, 1 tool
- Pass-through pocket on right side
- Action back and elastic waist
- Adjustable wrists and ankles



PROD. NO.	MOD. NO.	Colour	Sizes
V2520310	5559	Royal	36-60
V252031T	5559T	Royal	40T-60T

Flame Resistant Cotton Safety Coverall

- 100% cotton, FR treated, 10 oz (340 GSM)
- Material and all components meet CGSB 155.20, 2000
- Thermal Protective Performance (TPP) value: with the spacer 11 / contact test 8.2
- CSA Z96-09 Class 1 Level 2 and Class 1 Level FR
- Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15
- ATPV 9.5 cal/cm² (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category (HRC 2)
- StarTech™ FR reflective tape
- Sewn with inherently FR thread
- 2-way FR brass non-locking zipper
- 7 storage pockets: 2 back, 2 chest, 2 side, 1 tool
- 2 pass-through pockets
- Adjustable wrists and ankles
- Action back and elastic waist
- Radiophone clip strap



PROD. NO.	MOD. NO.	Colour	Sizes
V2520210	5558A	Royal	36-66
V252021T	5558AT	Royal	40T-66T
V2520250	5555	Orange	36-66
V252025T	5555T	Orange	40T-66T
V2520270	5558BK	Black	36-66
V252027T	5558BKT	Black	40T-66T



FR SINGLE LAYER SAFETY WEAR

Women's Flame Resistant Cotton Safety Coverall

- 100% cotton, FR treated, 10 oz (340 GSM)
- Meets CGSB 155.20, 2000
- Thermal Protective Performance (TPP) value with the spacer: 11 / contact test 8.2
- CSA Z96-09 Class 1 Level 2 and Class 1 Level FR
- Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15
- ATPV 9.5 cal/cm² (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category (HRC 2)
- StarTech™ FR reflective tape
- Sewn with inherently FR thread
- Full 2-way YKK brass zips from waist to ankle
- Unique zip design for convenient washroom access
- 8 storage pockets: 2 back, 2 chest, 2 side, 1 ruler, 1 sealed inside left chest pocket
- Action back and elastic waist
- Adjustable wrists and ankles
- Radiophone clip strap



Unique zip design for convenient washroom access



PROD. NO.	MOD. NO.	Colour	Sizes
V2520970	5558BW	Black	Women's XS-2XL

FR MULTI-LAYER SAFETY WEAR

Flame Resistant Quilted Cotton Safety Overall

- Shell fabric 100% cotton. FR treated
- 5.3 oz (180 GSM) modacrylic FR insulation
- Material and all components meet CGSB 155.20, 2000
- Thermal Protective Performance (TPP) value: contact test 18.8
- CSA Z96-09 Class 1 Level 2 and Class 1 Level FR
- Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15
- ATPV 46 cal/cm² (Arc Thermal Protective Value)
- ARC 4 Arc Rating Category (HRC 4)
- All metal components are concealed to ensure no arc flash conductivity
- StarTech™ FR reflective tape
- Sewn with inherently FR thread
- 2-way FR brass non-locking zipper with storm placket
- Tough double-stitched seams
- 7 storage pockets: 2 back, 2 chest, 2 side, 1 tool
- Adjustable elastic suspenders and elastic waist
- 3/4 zipper plus snaps on each side
- Hammer loop



PROD. NO.	MOD. NO.	Colour	Sizes
V2560311	5524A	Royal	S-5XL
V2560351	5534A	Orange	S-4XL
V2560370	5524BK	Black	S-5XL

Flame Resistant Quilted Cotton Safety Parka

- Shell fabric 100% cotton, FR treated
- 6.5 oz (220 GSM) modacrylic FR insulation
- Material and all components meet CGSB 155.20, 2000
- Thermal Protective Performance (TPP) value: contact test 18.8
- CSA Z96-09 Class 1 Level 2 and Class 1 Level FR
- Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15
- ATPV 46 cal/cm² (Arc Thermal Protective Value)
- ARC 4 Arc Rating Category (HRC 4)
- All metal components are concealed to ensure no arc flash conductivity
- StarTech™ FR reflective tape
- Sewn with inherently FR thread
- FR brass non-locking zipper
- Tough double-stitched seams
- Fleece hand warmers
- Underarm gussets for extra mobility
- 6 storage pockets: 2 back, 2 chest, 2 side
- Action back, elastic waist and aramid storm cuffs
- Radiophone clip strap
- Concealed metal snaps
- 523/524/523BK hood (sold separately)



See page 56 for hoods.

PROD. NO.	MOD. NO.	Colour	Sizes
V2560210	5523	Royal	S-5XL
V2560250	5533	Orange	S-5XL
V2560271	5523BKA	Black	S-5XL

Flame Resistant Quilted Cotton Safety Coverall

- Shell fabric 100% cotton. FR treated
- 6.5 oz (220 GSM) modacrylic FR insulation
- Material and all components meet CGSB 155.20, 2000
- Thermal Protective Performance (TPP) value: contact test 18.8
- CSA Z96-09 Class 1 Level 2 and Class 1 Level FR
- Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15
- ATPV 46 cal/cm² (Arc Thermal Protective Value)
- ARC 4 Arc Rating Category (HRC 4)
- All metal components are concealed to ensure no arc flash conductivity
- StarTech™ FR reflective tape
- Sewn with inherently FR thread
- 2-way FR brass non-locking zipper
- Tough double-stitched seams
- 6 storage pockets: 2 back, 2 chest, 2 side
- Action back, elastic waist and aramid storm cuffs
- Adjustable ankles
- 3/4 zipper plus snaps on each side
- Radiophone clip strap
- Concealed metal snaps
- 523/524/523BK hood (sold separately)



PROD. NO.	MOD. NO.	Colour	Sizes
V2560111	5522A	Royal	S-4XL
V2560151	5532A	Orange	S-4XL
V2560170	5522BK	Black	S-4XL



FR MULTI-LAYER SAFETY WEAR

Hood for Flame Resistant Quilted Cotton Safety Parka or Coverall

- Shell fabric 100% cotton, FR treated
- Meets CGSB 155.20, 2000
- Sewn with inherently FR thread
- FR drawstring with toggle
- Large hook and loop closure
- Concealed metal snap
- Snaps onto parka or coverall



PROD. NO.	MOD. NO.	Colour	Sizes
V2561110	523	Royal	Fit-All
V2561150	524	Orange	Fit-All
V2561170	523BK	Black	Fit-All



FR HOODIES AND PULLOVERS

Flame Resistant Modacrylic Fleece Hoodie

- Flame resistance and comfort combined
- Modacrylic blend fleece material meets CGSB 155.20, 2000
- Antistatic
- 474 - CSA Z96-09 Class 1 level 2
- ATPV (or EBT) testing in process
- 474 - StarTech™ FR reflective tape
- FR metal zipper front with placket
- Removable snap on/off drawstring hood
- 2 pockets
- Rib cuffs and hem
- Sewn with inherently FR thread



PROD. NO.	MOD. NO.	Colour	Sizes
V2590280	473	Black	XS-5XL
V2590380	474	Black	XS-5XL



Flame Resistant Zip Style Heavyweight Cotton Safety Hoodie

- 100% FR treated preshrunk cotton, 12 oz (400 GSM)
- Material and all components meet CGSB 155.20, 2000
- Thermal Protective Performance (TPP) value with the spacer: 12 / contact test: 10.5
- CSA Z96-09 Class 1 Level 2 and Class 1 Level FR
- Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15
- ATPV 23 cal/cm² (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category (HRC 2)
- StarTech™ FR reflective tape
- Sewn with inherently FR thread
- 2 front slash pockets
- FR brass non-locking zipper
- Tough double-stitched seams
- Liberal sizing
- Detachable snap hood



PROD. NO.	MOD. NO.	Colour	Sizes
V2570470	337SF	Black	XS-7XL
V2570450	338SF	Orange	XS-7XL



Flame Resistant Pullover Style Heavyweight Cotton Hoodie

- 100% FR treated preshrunk cotton, 12 oz (400 GSM)
- Material and all components meet CGSB 155.20, 2000
- Thermal Protective Performance (TPP) value with the spacer: 12 / contact test: 10.5
- Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15
- ATPV 23 cal/cm² (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category (HRC 2)
- Sewn with inherently FR thread
- Liberal sizing
- Tough double-stitched seams
- Front pouch pocket
- Non-detachable hood



PROD. NO.	MOD. NO.	Colour	Sizes
V2570170	335	Black	XS-7XL

Flame Resistant Zip Style Heavyweight Cotton Hoodie

- 100% FR treated preshrunk cotton, 12 oz (400 GSM)
- Material and all components meet CGSB 155.20, 2000
- Thermal Protective Performance (TPP) value with the spacer: 12 / contact test: 10.5
- Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15
- ATPV 23 cal/cm² (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category (HRC 2)
- Sewn with inherently FR thread
- 2 front slash pockets
- FR brass non-locking zipper
- Tough double-stitched seams
- Liberal sizing
- Detachable snap hood



PROD. NO.	MOD. NO.	Colour	Sizes
V2570270	337	Black	XS-7XL

Flame Resistant 1/4 Zip Cotton Pullover

- 100% FR treated preshrunk cotton, 12 oz (400 GSM)
- Material and all components meet CGSB 155.20, 2000
- Thermal Protective Performance (TPP) value with the spacer: 12 / contact test: 10.5
- 334SF - CSA Z96-09 Class 1 Level 2 and Class 1 Level FR
- Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15
- ATPV 23 cal/cm² (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category (HRC 2)
- 334SF - Double-stitched StarTech™ FR reflective tape
- Sewn with inherently FR thread
- Standup collar with FR 1/4 zip
- Elastic rib cuffs and hem
- Front pouch pocket



PROD. NO.	MOD. NO.	Colour	Sizes
V2570570	334	Black	XS-5XL
V2570670	334SF	Black	XS-5XL





FR FLEECE PANTS

Flame Resistant Cotton Fleece Pant

- Flame resistance and comfort combined
- 100% FR treated preshrunk cotton
- Material and all components meet CGSB 155.20, 2000
- Thermal Protective Performance (TPP) value with the spacer 12 / contact test 10.5
- 359 - CSA Z96-09 Class 3 Level 2 and Class 3 Level FR when worn with Class 2 Level 2 and Class 2 Level FR top featuring reflective arm bands
- Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15
- ATPV 23 cal/cm² (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category (HRC 2)
- 359 - StarTech™ FR reflective tape
- Elastic drawstring waist
- Comfort fit
- 2 front pockets, 1 back pocket



PROD. NO.	MOD. NO.	Colour	Sizes
V2570870	356	Black	S-4XL
V2570970	359	Black	S-4XL

NEW
NEW



FR UNDERWEAR SETS

Flame Resistant Modacrylic Underwear Set

- Flame resistance and comfort combined
- Modacrylic blend jersey knit
- Antistatic
- ATPV (or EBT) testing in process
- Crew neck
- Rib cuffs and ankles



PROD. NO.	MOD. NO.	Colour	Sizes
V2590470	4400	Black	XS-4XL

NEW

Flame Resistant Long-Sleeved Cotton Shirt

- 100% FR treated preshrunk cotton knit, 7.5 oz (250 GSM)
- Material and all components meet CGSB 155.20, 2000
- Thermal Protective Performance (TPP) value with the spacer: 7.5 / contact test: 5.9
- Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15
- ATPV 9 cal/cm² (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category (HRC 2)
- Sewn with inherently FR thread
- Left chest pocket
- Crew collar neck
- Comfort knit cuffs



PROD. NO.	MOD. NO.	Colour	Sizes
V2580310	333	Light Grey	S-5XL
V2580380	333	Navy	S-5XL
V2580370	333BK	Black	S-5XL

Flame Resistant Long-Sleeved Cotton Safety Shirt

- 100% FR treated preshrunk cotton, 7.5 oz (250 GSM)
- Material and all components meet CGSB 155.20, 2000
- Thermal Protective Performance (TPP) value with the spacer: 7.5 / contact test: 5.9
- CSA Z96-09 Class 1 Level 2 and Class 1 Level FR
- Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15
- ATPV 9 cal/cm² (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category (HRC 2)
- StarTech™ FR reflective tape
- Sewn with inherently FR thread
- Self fabric crew neck
- Chest pocket with hook and loop closure



PROD. NO.	MOD. NO.	Colour	Sizes
V2580550	339SF	Orange	S-5XL
V2580570	340SF	Black	S-5XL

Flame Resistant Cotton Denim Shirt

- 100% FR treated preshrunk cotton denim
- Material and all components meet CGSB 155.20, 2000
- Thermal Protective Performance (TPP) value with the spacer: 7.8 / contact test: 6.6
- Sewn with inherently FR thread
- 2 spade chest pockets with buttons
- Button-down collar
- Stitched-on front placket with press snaps
- Pen slot on left chest pocket flap



PROD. NO.	MOD. NO.	Colour	Sizes
V2580110	330	Stonewash Denim	S-4XL